









# FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

# WesCom Signal and Rescue Germany GmbH

Chemwatch: **65-6263** Version No: 3.1.1.1 Safety Data Sheet (Conforms to Regulation (EU) No 2015/830) Issue Date: 05/09/2016 Print Date: 19/10/2017 L.REACH.GBR.EN

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1. Product Identifier

Product name	FLOATING ORANGE SMOKE SIGNAL 3 MINUTE	
Synonyms	Comet Lifesmoke, orange, ArtNo. 9192000, 9192007, 9192005, Pains Wessex Lifesmoke, orange, ArtNo. 9537000, 9537007, 9537250, Aurora PW 3 minutes Lifesmoke, orange, ArtNo. 9537020, 9537250	
Proper shipping name	SIGNALS, SMOKE	
Other means of identification	Not Available	

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions.  Sea distress signal. Sea distress signal providing effective position marking during rescue operations and can be used to indicate wind direction, producing dense orange smoke for a minimum of 3 minutes.
Uses advised against	Not Applicable

## 1.3. Details of the supplier of the safety data sheet

Registered company name	WesCom Signal and Rescue Germany GmbH
Address	Vieländer Weg 147 Bremerhaven 27574 Germany
Telephone	+49 471 3930
Fax	+49 471 3932 10
Website	www.wescomsignal.com
Email	info@wescomsignal.com

# 1.4. Emergency telephone number

Association / Organisation	Consultant Lutz Harder GmbH	
Emergency telephone numbers	+49 178 433 7434	
Other emergency telephone numbers	Not Available	

## **SECTION 2 HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] [1]	H204 - Explosive Division 1.4
Legend:	Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

# 2.2. Label elements

Hazard pictogram(s)



SIGNAL WORD

WARNING

# Hazard statement(s)

<b>H204</b> Fire	e or projection hazard.
------------------	-------------------------

# Precautionary statement(s) Prevention

Troductionally statement(c) Provention		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P250	Do not subject to grinding/shock/sources of friction.	

Chemwatch: 65-6263 Page 2 of 14 Issue Date: 05/09/2016 Version No: 3.1.1.1 Print Date: 19/10/2017

## FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P240	Ground/bond container and receiving equipment.

# Precautionary statement(s) Response

P370+P380	In case of fire: Evacuate area.	
P372	Explosion risk in case of fire.	
P374	P374 Fight fire with normal precautions from a reasonable distance.	
P373	DO NOT fight fire when fire reaches explosives.	

## Precautionary statement(s) Storage

Store according to local regulations for explosives. P401

## Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

# **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

## 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
		device contains	
		polytechnic materials of;	
1.3811-04-9 2.223-289-7 3.017-004-00-3 4.01-2119494917-18-XXXX		potassium chlorate	Oxidizing Solid Category 1, Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4, Chronic Aquatic Hazard Category 2; H271, H332, H302, H411 [3]
1.7757-79-1 2.231-818-8 3.Not Available 4.01-2119488224-35- XXXX 01-2120104950-66-XXXX		potassium nitrate	Oxidizing Solid Category 3, Acute Toxicity (Oral) Category 4, Eye Irritation Category 2; H272, H302, H319 [1]
1.7704-34-9. 2.231-722-6 3.016-094-00-1 4.01-2119487295-27- XXXX 01-2119422098-42-XXXX		<u>sulfur</u>	Flammable Solid Category 2, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2; H228, H315, H319 [1]
1.10022-31-8 2.233-020-5 3.056-002-00-7 4.01-2119986880-22-XXXX		barium nitrate	Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4; H332, H302 [3]
1.7440-44-0 2.231-153-3 3.Not Available 4.01-2119488894-16- XXXX 01-2119488716-22-XXXX		carbon, activated	Flammable Solid Category 2, Self-Heating Material Category 2; H228, H252 [1]
1.9002-88-4 2.Not Available 3.Not Available 4.Not Available		polyethylene	Not Applicable
1.110-30-5 2.203-755-6 3.Not Available 4.01-2120086660-54-XXXX		N,N'-ethylenebisstearamide	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H315, H319, H335 <sup>[1]</sup>
1.81-64-1 2.201-368-7 3.Not Available 4.01-2119971261-41-XXXX		guinizarin	Skin Sensitizer Category 1; H317 <sup>[1]</sup>
Legend:	Legend: 1. Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI 4. Classification drawn from C&L		drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 -

# **SECTION 4 FIRST AID MEASURES**

# 4.1. Description of first aid measures

If this product comes in contact with eyes: Eye Contact

Chemwatch: 65-6263 Page 3 of 14 Issue Date: 05/09/2016 Version No: 3.1.1.1 Print Date: 19/10/2017

## FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

	<ul> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul> <li>Not considered a normal route of entry.</li> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

DANGER: Deliver media remotely.

- ► For minor fires: Flooding quantities only.
- ► For large fires: **Do not** attempt to extinguish.

Apply by mechanical means only.

# 5.2. Special hazards arising from the substrate or mixture

one opening meaning meaning of minimum			
Fire Incompatibility	Avoid contact with other chemicals.		
5.3. Advice for firefighters			
Fire Fighting	WARNING: EXPLOSIVE MATERIALS / ARTICLES PRESENT!  Evacuate all personnel and move upwind.  Prevent re-entry.  Alert Fire Brigade and tell them location and nature of hazard.  May detonate and burning material may be propelled from fire.  Wear full-body protective clothing with breathing apparatus.  Prevent, by any means available, spillage and fire effluent from entering drains and water courses.  Fight fire from safe distances and from protected locations.  Use flooding quantities of water.  DO NOT approach containers or packages suspected to be hot.  Cool any exposed containers not involved in fire from a protected location.  Equipment should be thoroughly decontaminated after use.  Slight hazard when exposed to heat, flame and oxidisers.		
Fire/Explosion Hazard	Division 1.4 Substances, mixtures and articles which present no significant hazard: substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package.		

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

## 6.2. Environmental precautions

See section 12

## 6.3 Methods and material for containment and cleaning un

.3. Methods and material for containment and cleaning up			
Minor Spills	WARNING!: EXPLOSIVE. BLAST and/or PROJECTION and/or FIRE HAZARD  ► Clean up all spills immediately.  ► Avoid inhalation of the material and avoid contact with eyes and skin.  ► Wear impervious gloves and safety glasses.  ► Remove all ignition sources.  ► Use spark-free tools when handling.  ► Sweep into non-sparking containers or barrels and moisten with water.  ► Place spilled material in clean, sealable, labelled container for disposal.  ► Flush area with large amounts of water.		

Chemwatch: 65-6263 Page 4 of 14 Issue Date: 05/09/2016 Version No: 3.1.1.1

#### FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

# Print Date: 19/10/2017

#### WARNING!: EXPLOSIVE.

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- May be violently or explosively reactive.
- Wear full body protective clothing with breathing apparatus.
- Consider evacuation (or protect in place).
- - In case of transport accident notify Police, Emergency Authority, Competent Explosives Authority or Manufacturer. No smoking, naked lights, heat or ignition sources.
  - ▶ Increase ventilation.
  - Use extreme caution to prevent physical shock.
  - ▶ Use only spark-free shovels and explosion-proof equipment.
  - Collect recoverable material and segregate from spilled material.
  - Wash spill area with large quantities of water.

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

Major Spills

#### 7.1. Precautions for safe handling

- Handle gently. Use good occupational work practice.
- Observe manufacturer's storage and handling recommendations contained within this SDS.
- Avoid all personal contact, including inhalation.
- ► Avoid smoking, naked lights, heat or ignition sources.
- Explosives must not be struck with metal implements. Avoid mechanical and thermal shock and friction.
- Safe handling
  - Use in a well ventilated area.
    - ▶ Avoid contact with incompatible materials When handling DO NOT eat, drink or smoke.
    - Avoid physical damage to containers.
    - Always wash hands with soap and water after handling.
    - ▶ Work clothes should be laundered separately.

#### Fire and explosion protection

Other information

#### See section 5

- ▶ Store cases in a well ventilated magazine licensed for the appropriate Class, Division and Compatibility Group.
- Rotate stock to prevent ageing. Use on FIFO (first in-first out) basis.
- Observe manufacturer's storage and handling recommendations contained within this SDS.
- Store in a cool place in original containers.
- Keep containers securely sealed.
  - ▶ No smoking, naked lights, heat or ignition sources.
  - Store in an isolated area away from other materials.
  - Keep storage area free of debris, waste and combustibles.
  - Protect containers against physical damage.
  - Check regularly for spills and leaks

NOTE: If explosives need to be destroyed contact the Competent Authority.

Store away from incompatible materials.

Keep out of reach of children.

# 7.2. Conditions for safe storage, including any incompatibilities

## Suitable container

- All packaging for Class 1 Goods shall be in accordance with the requirements of the relevant Code for the transport of Dangerous Goods.
- Class 1 is unique in that the type of packaging used frequently has a very decisive effect on the hazard and therefore on the assignment to a particular division Avoid contact with other explosives, pyrotechnics, solvents, adhesives, paints, cleaners and unauthorized metals, plastics, packing equipment and

## Storage incompatibility

- materials • Avoid contamination with acids, alkalis, reducing agents, amines and phosphorus.
- ▶ Explosion hazard may follow contact with incompatible materials

# 7.3. Specific end use(s)

See section 1.2

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

# INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0,5 mg/m3	Not Available	Not Available	Not Available

Chemwatch: **65-6263** Page **5** of **14** Issue Date: **05/09/2016** 

Version No: 3.1.1.1

#### FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

Print Date: 19/10/2017

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0.5 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	carbon, activated	Graphite inhalable dust	10 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	carbon, activated	Graphite respirable	4 mg/m3	Not Available	Not Available	Not Available

#### **EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium chlorate	Potassium chlorate	5.6 mg/m3	62 mg/m3	370 mg/m3
potassium nitrate	Potassium nitrate	9 mg/m3	100 mg/m3	600 mg/m3
sulfur	Sulfur	30 mg/m3	330 mg/m3	2,000 mg/m3
barium nitrate	Barium nitrate	2.9 mg/m3	350 mg/m3	2,100 mg/m3
carbon, activated	Carbon; (Graphite, synthetic)	6 mg/m3	16 mg/m3	95 mg/m3
polyethylene	Polyethylene	28 mg/m3	310 mg/m3	1,000 mg/m3

Ingredient	Original IDLH	Revised IDLH
potassium chlorate	Not Available	Not Available
potassium nitrate	Not Available	Not Available
sulfur	Not Available	Not Available
barium nitrate	50 mg/m3	Not Available
carbon, activated	Not Available	Not Available
polyethylene	Not Available	Not Available
N,N'-ethylenebisstearamide	Not Available	Not Available
quinizarin	Not Available	Not Available

#### MATERIAL DATA

#### 8.2. Exposure controls

Engineering controls for explosive articles are designed to reduce or eliminate fragmentation and/or blast effects either by suppression of the source of detonation or by protection at the exposed location, or both. Barricades, shields, contained detonation chambers, and "zero quantity-distance (Q-D)" magazines are examples of engineering controls.

Engineering controls are designed and tested in a rigorous fashion. The construction of the engineering control must be carefully duplicated in field applications to assure it will function properly.

It is thus imperative that engineering controls be built exactly in accordance with the design package, and that they be used only for the articles (e.g.munitions) for which they are authorised.

#### 8.2.2. Personal protection

8.2.1. Appropriate engineering

controls







- ► Safety glasses with side shields
- Salety glasses with
   Chemical goggles

#### Skin protection

See Hand protection below

Hands/feet protection

Eye and face protection

- ▶ Wear chemical protective gloves, e.g. PVC.
- ► Wear safety footwear or safety gumboots, e.g. Rubber

## Body protection

See Other protection below

Other protection

- ▶ Fire resistant/ heat resistant gloves where practical, otherwise
- ▶ Heavy-duty chemically resistant gloves capable of providing short-term protection against spontaneous ignition.
- ► Safety footwear

Hard hat

Ear Protection.

Thermal hazards

Not Available

#### Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	-AUS P2	-	-PAPR-AUS / Class 1 P2
up to 50 x ES	-	-AUS / Class 1 P2	-
up to 100 x ES	-	-2 P2	-PAPR-2 P2 ^

#### ^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Respiratory protection not normally required due to the physical form of the product.

Issue Date: 05/09/2016 Print Date: 19/10/2017

# 8.2.3. Environmental exposure controls

See section 12

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Appearance	Orange/yellow outer metal casing pressed with black/grey polytechnical ingredients.		
Physical state	Manufactured	Not Applicable	
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature	>160
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	160	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

#### 9.2. Other information

Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

10.1.Reactivity	See section 7.2
<ul> <li>Presence of shock and friction</li> <li>Presence of heat source and ignition source</li> <li>Product is considered stable under normal handling conditions.</li> <li>Stable under normal storage conditions.</li> <li>Hazardous polymerization will not occur.</li> <li>Avoid contact with other chemicals.</li> </ul>	
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

# **SECTION 11 TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

Inhaled  Not normally a hazard due to physical form of product. Inhalation of vapour is more likely at higher than normal temperatures. The vapour is discomforting  Not normally a hazard due to physical form of product. Considered an unlikely route of entry in commercial/industrial environments		
Eye	Not normally a hazard due to physical form of product. The vapour is discomforting	
Chronic  Chronic  Chronic  Chronic  Chronic  Chronic  Principal hazards are related to the explosive/ decomposition by products, if inadvertently discharged or launched without adequate control a measures in place. Normal exposure to the article by all route is considered to be practically non-harmful.		

FLOATING ORANGE SMOKE SIGNAL 3 MINUTE	TOXICITY  Not Available	IRRITATION  Not Available
potassium chlorate	TOXICITY  dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	IRRITATION  Not Available

Chemwatch: 65-6263 Page 7 of 14

Issue Date: 05/09/2016 Version No: 3.1.1.1

Print Date: 19/10/2017 FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

DXICITY  ermal (rat) LD50: >5000 mg/kg <sup>[1]</sup> ral (rat) LD50: >2000 mg/kg <sup>[1]</sup> DXICITY	IRRITATION  Not Available	
ral (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Not Available	
OXICITY		
	IRRITATION	
ermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (human): 8 ppm irritant	
halation (rat) LC50: >5.43 mg/l4 h <sup>[1]</sup>		
ral (rat) LD50: >2000 mg/kg <sup>[1]</sup>		
OXICITY	IRRITATION	
ral (rat) LD50: 355 mg/kg <sup>[2]</sup>	Eye (rabbit):100 mg/24h - moderate	
	Skin (rabbit): 500 mg/24h - mild	
OXICITY	IRRITATION	
ot Available	Not Available	
OXICITY	IRRITATION	
ermal (rabbit) LD50: >2000 mg/kg <sup>[2]</sup>	Not Available	
halation (mouse) LC50: 1.5 mg/l/30m <sup>[2]</sup>		
ral (rat) LD50: >3000 mg/kg <sup>[2]</sup>		
OXICITY	IRRITATION	
ral (mouse) LD50: >20000 mg/kg <sup>[2]</sup>	Non-irritant	
	Skin (rabbit) patch in PEG400	
	Slight irritant	
OXICITY	IRRITATION	
ral (rat) LD50: >5000 mg/kg <sup>[2]</sup>	Eye (rabbit): 500 mg/24h - mild	
Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		
	ral (rat) LD50: >2000 mg/kg <sup>[1]</sup> DXICITY  ral (rat) LD50: 355 mg/kg <sup>[2]</sup> DXICITY  DXICITY  DXICITY  DXICITY  DIAMAGE  DXICITY  DIAMAGE  DXICITY  DIAMAGE  DXICITY  DIAMAGE  DXICITY  Tal (rat) LD50: >3000 mg/kg <sup>[2]</sup> DXICITY  Tal (mouse) LD50: >20000 mg/kg <sup>[2]</sup> DXICITY  Tal (mouse) LD50: >20000 mg/kg <sup>[2]</sup> DXICITY  Tal (rat) LD50: >5000 mg/kg <sup>[2]</sup>	

# BARIUM NITRATE

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.

# CARBON, ACTIVATED

N,N'-ETHYLENEBISSTEARAMIDE

No significant acute toxicological data identified in literature search.

The substance is classified by IARC as Group 3:

NOT classifiable as to its carcinogenicity to humans.

Evidence of carcinogenicity may be inadequate or limited in animal testing.

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

For Fatty Nitrogen Derived (FND) Amides (including several high molecular weight alkyl amino acid amides)

The chemicals in the Fatty Nitrogen Derived (FND) Amides of surfactants are similar to the class in general as to physical/chemical properties, environmental fate and toxicity. Human exposure to these chemicals is substantially documented.

The Fatty nitrogen-derived amides (FND amides) comprise four categories:

Subcategory I: Substituted Amides

Subcategory II: Fatty Acid Reaction Products with Amino Compounds (Note: Subcategory II chemicals, in many cases, contain Subcategory I chemicals as major components)

Subcategory III: Imidazole Derivatives

Subcategory IV: FND Amphoterics

Acute Toxicity: The low acute oral toxicity of the FND Amides is well established across all Subcategories by the available data. The limited acute toxicity of these chemicals is also confirmed by four acute dermal and two acute inhalation studies.

Repeated Dose and Reproductive Toxicity: Two subchronic toxicity studies demonstrating low toxicity are available for Subcategory I chemicals. In addition, a 5-day repeated dose study for a third chemical confirmed the minimal toxicity of these chemicals. Since the Subcategory I chemicals are major components of many Subcategory II chemicals, and based on the low repeat-dose toxicity of the amino compounds (e.g. diethanolamine, triethanolamine) used for producing the Subcategory II derivatives, the Subcategory I repeat-dose toxicity studies adequately support Subcategory II.

Two subchronic toxicity studies in Subcategory III confirmed the low order of repeat dose toxicity for the FND Amides Imidazole derivatives. For Subcategory IV, two subchronic toxicity studies for one of the chemicals indicated a low order of repeat-dose toxicity for the FND amphoteric salts similar to that seen in the other categories.

Genetic Toxicity in vitro: Based on the lack of effect of one or more chemicals in each subcategory, adequate data for mutagenic activity as measured by

Chemwatch: 65-6263 Page 8 of 14 Issue Date: 05/09/2016 Version No: 3.1.1.1

#### FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

Print Date: 19/10/2017

the Salmonella reverse mutation assay exist for all of the subcategories.

Developmental Toxicity: A developmental toxicity study in Subcategory I and in Subcategory IV and a third study for a chemical in Subcategory III are available. The studies indicate these chemicals are not developmental toxicants, as expected based on their structures, molecular weights, physical properties and knowledge of similar chemicals. As above for repeat-dose toxicity, the data for Subcategory I are adequate to support Subcategory II. In evaluating potential toxicity of the FND Amides chemicals, it is also useful to review the available data for the related FND Cationic and FND Amines Category chemicals. Acute oral toxicity studies (approximately 80 studies for 40 chemicals in the three categories) provide LD50 values from approximately 400 to 10,000 mg/kg with no apparent organ specific toxicity. Similarly, repeated dose toxicity studies (approximately 35 studies for 15 chemicals) provide NOAELs between 10 and 100 mg/kg/day for rats and slightly lower for dogs. More than 60 genetic toxicity studies (in vitro bacterial and mammalian cells as well as in vivo studies) indicated no mutagenic activity among more than 30 chemicals tested. For reproductive evaluations, 14 studies evaluated reproductive endpoints and/or reproductive organs for 11 chemicals, and 15 studies evaluated developmental toxicity for 13 chemicals indicating no reproductive or developmental effects for the FND group as a whole.

Some typical applications of FND Amides are:

masonry cement additive; curing agent for epoxy resins; closed hydrocarbon systems in oil field production, refineries and chemical plants; and slip and antiblocking additives for polymers.

The safety of the FND Amides to humans is recognised by the U.S. FDA, which has approved stearamide, oleamide and/or erucamide for adhesives; coatings for articles in food contact; coatings for polyolefin films; defoaming agents for manufacture of paper and paperboard; animal glue (defoamer in food packaging); in EVA copolymers for food packaging; lubricants for manufacture of metallic food packaging; irradiation of prepared foods; release agents in manufacture of food packaging materials, food contact surface of paper and paperboard; cellophane in food packaging; closure sealing gaskets; and release agents in polymeric resins and petroleum wax. The low order of toxicity indicates that the use of FND Amides does not pose a significant hazard to human health.

The differences in chain length, degree of saturation of the carbon chains, source of the natural oils, or addition of an amino group in the chain would not be expected to have an impact on the toxicity profile. This conclusion is supported by a number of studies in the FND family of chemicals (amines, cationics, and amides as separate categories) that show no differences in the length or degree of saturation of the alkyl substituents and is also supported by the limited toxicity of these long-chain substituted chemicals.

Fatty acid amides (FAA) are ubiquitous in household and commercial environments. The most common of these are based on coconut oil fatty acids alkanolamides. These are the most widely studied in terms of human exposure.

Fatty acid diethanolamides (C8-C18) are classified by Comite Europeen des Agents de Surface et de leurs Intermediaires Organiques (CESIO) as Irritating (Xi) with the risk phrases R38 (Irritating to skin) and R41 (Risk of serious damage to eyes). Fatty acid monoethanolamides are classified as Irritant (Xi) with the risk phrases R41

Several studies of the sensitization potential of cocoamide diethanolamide (DEA) indicate that this FAA induces occupational allergic contact dermatitis and a number of reports on skin allergy patch testing of cocoamide DEA have been published. These tests indicate that allergy to cocoamide DEA is becoming more common.

Alkanolamides are manufactured by condensation of diethanolamine and the methylester of long chain fatty acids. Several alkanolamides (especially secondary alkanolamides) are susceptible to nitrosamine formation which constitutes a potential health problem. Nitrosamine contamination is possible either from pre-existing contamination of the diethanolamine used to manufacture cocoamide DEA, or from nitrosamine formation by nitrosating agents in formulations containing cocoamide DEA. According to the Cosmetic Directive (2000) cocoamide DEA must not be used in products with nitrosating agents because of the risk of formation of N-nitrosamines. The maximum content allowed in cosmetics is 5% fatty acid dialkanolamides, and the maximum content of N-nitrosodialkanolamines is 50 mg/kg. The preservative 2-bromo-2-nitropropane-1,3-diol is a known nitrosating agent for secondary and tertiary amines or amides. Model assays have indicated that 2-bromo-2-nitropropane-1,3-diol may lead to the N-nitrosation of diethanolamine forming the carcinogenic compound. N-nitrosodiethanolamine which is a potent liver carcinogen in rats (IARC 1978).

Several FAAs have been tested in short-term genotoxicity assays. No indication of any potential to cause genetic damage was seen Lauramide DEA was tested in mutagenicity assays and did not show mutagenic activity in Salmonella typhimurium strains or in hamster embryo cells. Cocoamide DEA was not mutagenic in strains of Salmonella typhimurium when tested with or without metabolic activation

Environmental and Health Assessment of Substances in Household Detergents and Cosmetic Detergent Products, Environment Project, 615, 2001. Miljoministeriet (Danish Environmental Protection Agency)

## QUINIZARIN

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibodymediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons tested.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

X - Data available but does not fill the criteria for classification

Data available to make classification

N - Data Not Available to make classification

#### **SECTION 12 ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

EL OATING ORANGE SMOVE			
	ENDPOINT TEST DURATION (HR)	SPECIES	VALUE SOURCE
FLOATING ORANGE SMOKE SIGNAL 3 MINUTE	Not Available	Not Available	Not Not Available Available

Chemwatch: 65-6263 Page 9 of 14

Version No: 3.1.1.1

#### Issue Date: 05/09/2016 Print Date: 19/10/2017 FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

1			_		
potassium chlorate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=13000mg/L	1
potassium emorate	EC50	72	Algae or other aquatic plants	1.9mg/L	4
	NOEC	72	Algae or other aquatic plants	<0.5mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
potassium nitrate	LC50	96	Fish	22.5mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	<14mg/L	4
sulfur	EC50	48	Crustacea	>5000mg/L	4
	NOEC	504	Crustacea	>0.0025mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	>3.5mg/L	2
barium nitrate	EC50	72	Algae or other aquatic plants	>1.92mg/L	2
	NOEC	72	Algae or other aquatic plants	>=1.92mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
carbon, activated	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
polyethylene	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
N,N'-ethylenebisstearamide	Not Available	Not Available	Not Available	Not Available	Not Available
quinizarin	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	EC50	48	Crustacea	0.029477344mg/L	4
	EC50	72	Algae or other aquatic plants	0.044mg/L	2
	NOEC	72	Algae or other aquatic plants	0.00757mg/L	2

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

## 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
potassium chlorate	HIGH	HIGH
potassium nitrate	LOW	LOW
sulfur	LOW	LOW
polyethylene	LOW	LOW
N,N'-ethylenebisstearamide	HIGH	HIGH
quinizarin	HIGH	HIGH

# 12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
potassium chlorate	LOW (LogKOW = -4.6296)
potassium nitrate	LOW (LogKOW = 0.209)
sulfur	LOW (LogKOW = 0.229)
polyethylene	LOW (LogKOW = 1.2658)
N,N'-ethylenebisstearamide	LOW (BCF = 6.2)
quinizarin	MEDIUM (LogKOW = 3.938)

# 12.4. Mobility in soil

Ingredient	Mobility
potassium chlorate	LOW (KOC = 35.04)
potassium nitrate	LOW (KOC = 14.3)
sulfur	LOW (KOC = 14.3)
polyethylene	LOW (KOC = 14.3)

Issue Date: 05/09/2016 Print Date: 19/10/2017

N,N'-ethylenebisstearamide	LOW (KOC = 5754000000)
quinizarin	LOW (KOC = 507.7)

FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

# 12.5.Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

# 12.6. Other adverse effects

No data available

# **SECTION 13 DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Product / Packaging disposal	<ul> <li>Explosives must not be thrown away, buried, discarded or placed with garbage.</li> <li>Explosives which are surplus, deteriorated or considered unsafe for transport, storage or use shall be destroyed and the statutory authorities shall be notified.</li> <li>This material may be disposed of by burning or detonation but the operation may only be performed under the control of a person trained in the safe destruction of explosives.</li> <li>Refer to local Waste Disposal Authority and supplier for suitable disposal procedure.</li> </ul>
Waste treatment options	Not Available
Sewage disposal options	Not Available

# **SECTION 14 TRANSPORT INFORMATION**

# **Labels Required**

	1.4 s
Marine Pollutant	NO
HAZCHEM	1YE

#### Land transport (ADR)

Land transport (ADR)			
14.1.UN number	0507		
14.2.UN proper shipping name	SIGNALS, SMOKE		
14.3. Transport hazard class(es)	Class 1.4S Subrisk Not Applicable		
14.4.Packing group	Not Applicable		
14.5.Environmental hazard	Not Applicable		
14.6. Special precautions for user	Hazard identification (Kemler)  Classification code  1.4S  Hazard Label  1.4  Special provisions  Not Applicable  Limited quantity  0		

# Air transport (ICAO-IATA / DGR)

14.1. UN number	0507			
14.2. UN proper shipping name	Signals, smoke			
	ICAO/IATA Class	1.4S		
14.3. Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable		
	ERG Code	3L		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		135	
14.6. Special precautions for user	Cargo Only Maximum Qty / Pack		100 kg	
	Passenger and Cargo Packing Instructions		135	
	Passenger and Cargo	Maximum Qty / Pack	25 kg	

Issue Date: 05/09/2016 Print Date: 19/10/2017

Passenger and Cargo Limited Quantity Packing Instructions Forbidden Passenger and Cargo Limited Maximum Qty / Pack Forbidden

#### Sea transport (IMDG-Code / GGVSee)

14.1. UN number	0507		
14.2. UN proper shipping name	SIGNALS, SMOKE		
14.3. Transport hazard class(es)	IMDG Class 1.4S IMDG Subrisk Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number F-B , S-X Special provisions Not Applicable Limited Quantities 0		

FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

# Inland waterways transport (ADN)

illiand waterways transport (F	(DIV)	
14.1. UN number	0507	
14.2. UN proper shipping name	SIGNALS, SMOKE	
14.3. Transport hazard class(es)	1.4S Not Applicable	
14.4. Packing group	Not Applicable	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Classification code Special provisions Limited quantity Equipment required Fire cones number	1.4S Not Applicable 0 PP 0

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### **SECTION 15 REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

#### POTASSIUM CHLORATE(3811-04-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

#### POTASSIUM NITRATE(7757-79-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

#### SULFUR(7704-34-9.) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

#### BARIUM NITRATE(10022-31-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs) (Spanish)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

UK Workplace Exposure Limits (WELs)

## CARBON, ACTIVATED(7440-44-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft UK Workplace Exposure Limits (WELs)

#### POLYETHYLENE(9002-88-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### N,N'-ETHYLENEBISSTEARAMIDE(110-30-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

# FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

Issue Date: **05/09/2016** Print Date: **19/10/2017** 

QUINIZARIN(81-64-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments

#### 15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

## **ECHA SUMMARY**

Ingredient	CAS number	Index No	ECHA Dossier	
potassium chlorate	3811-04-9	017-004-00-3	01-2119494917-18-XXXX	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word	Hazard Statement Code(s)

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 1, Acute Tox. 4, Aquatic Chronic 2	GHS09, GHS03, GHS07, Dgr	H271, H302, H332, H411
2	Ox. Sol. 1, Acute Tox. 4, Aquatic Chronic 2, Ox. Sol. 2, STOT SE 2, Aquatic Chronic 3	GHS09, GHS03, GHS07, Dgr	H271, H302, H332, H411, H371

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
potassium nitrate	7757-79-1	Not Available	01-2119488224-35-XXXX, 01-2120104950-66-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	GHS03, GHS07, Dgr	H272, H315, H319, H335
2	Ox. Sol. 3, Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Ox. Sol. 1, Aquatic Chronic 3, Ox. Liq. 3, Acute Tox. 4, Repr. 2, STOT SE 2, STOT RE 2, Ox. Liq. 2, Ox. Liq. 1	GHS03, Dgr, GHS08	H315, H319, H335, H271, H412, H302, H361, H371, H373

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
sulfur	7704-34-9.	016-094-00-1	01-2119487295-27-XXXX, 01-2119422098-42-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Skin Irrit. 2	GHS07, Wng	H315
2	Skin Irrit. 2, Self-react. C, Acute Tox. 4, Aquatic Chronic 3, Flam. Sol. 2, Eye Irrit. 2, STOT SE 3, Flam. Sol. 1	GHS07, GHS02, Dgr	H242, H302, H332, H412, H228, H319, H335, H314

 $Harmonisation \ \ Code\ 1 = The\ most\ prevalent\ classification.\ Harmonisation\ \ Code\ 2 = The\ most\ severe\ classification.$ 

Ingredient	CAS number	Index No	ECHA Dossier
barium nitrate	10022-31-8	056-002-00-7	01-2119986880-22-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 2, Acute Tox. 4	GHS03, GHS07, Dgr	H272, H302, H332
2	Ox. Sol. 2, Acute Tox. 3, Eye Irrit. 2, Acute Tox. 4, Ox. Liq. 2	GHS03, GHS06, Dgr	H272, H301, H319, H332, H312

 $Harmonisation \ \ Code\ 1 = The\ most\ prevalent\ classification.\ Harmonisation\ \ Code\ 2 = The\ most\ severe\ classification.$ 

Ingredient	CAS number	Index No	ECHA Dossier
carbon, activated	7440-44-0	Not Available	01-2119488894-16-XXXX, 01-2119488716-22-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Eye Irrit. 2, STOT SE 3	GHS07, Wng	H319, H335
2	Eye Irrit. 2, STOT SE 3, Self-heat. 2, Flam. Sol. 2, Flam. Sol. 1, Self-heat. 1, STOT RE 2, Skin Irrit. 2, Acute Tox. 2, Flam. Liq. 3, Aquatic Chronic 3	GHS02, Dgr, GHS08, GHS06	H319, H335, H228, H251, H373, H300, H226, H315, H412
1	STOT RE 2	GHS08, Wng	H373
2	STOT RE 2	GHS08, Wng	H373

 $Harmonisation \ \ Code\ 1 = The\ most\ prevalent\ classification.\ Harmonisation\ \ Code\ 2 = The\ most\ severe\ classification.$ 

Ingredient	CAS number	Index No	ECHA Dossier
polyethylene	9002-88-4	Not Available	Not Available

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Not Classified	Not Available	Not Available
2	Aquatic Chronic 3, STOT SE 3	GHS08, Wng	H412, H335
1	Not Classified	Not Available	Not Available

Chemwatch: **65-6263** Page **13** of **14** 

Version No: **3.1.1.1** 

# FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

Issue Date: **05/09/2016**Print Date: **19/10/2017** 

2	Not Classified		Not Available		Not Available		
Harmonisation Code 1 = The mos	st prevalent classification. Harmonisation Code 2	= The most se	evere classification.				
Ingredient	CAS number	Index No		ECHA Dossier			
N,N'-ethylenebisstearamide	110-30-5	Not Available 0		01-2120086660-54-XXX	01-2120086660-54-XXXX		
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)		Hazard Statement Code(s)		
1	Not Classified	Not Classified		Not Available		Not Available	
2	Acute Tox. 4, Skin Sens. 1, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 4, Aquatic Chronic 3, Aquatic Chronic 2		GHS07, Wng, GHS09		H312, H317, H315, H319, H335, H411		
Harmonisation Code 1 = The mos	st prevalent classification. Harmonisation Code 2	= The most se	evere classification.		'		'
Ingredient	CAS number	CAS number Index No EC		ECHA Dossier	ECHA Dossier		
quinizarin	81-64-1	Not Available 01-2119971261-41-XXXX		<			
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)		Haza	Hazard Statement Code(s)	
1	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3		GHS07, Wng		H315, H319, H335		
2	Aquatic Acute 1, Aquatic Chronic 1, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Muta. 2, Skin Sens. 1		GHS09 Dar GHS08			), H315, H319, H335, H400, 7, H341	
Harmonisation Code 1 = The mos	st prevalent classification. Harmonisation Code 2	= The most se	evere classification.				
National Inventory	Status						
	.,						
Australia - AICS	Υ						

Canada - NDSL	N (polyethylene; sulfur; barium nitrate; carbon, activated; quinizarin; potassium chlorate; potassium nitrate; N,N'-ethylenebisstearamide)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	N (polyethylene)
Japan - ENCS	N (sulfur; carbon, activated)
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

# **SECTION 16 OTHER INFORMATION**

# Full text Risk and Hazard codes

H226	Flammable liquid and vapour.
H228	Flammable solid.
H242	Heating may cause a fire.
H251	Self-heating: may catch fire.
H252	Self-heating in large quantities; may catch fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
	,

 Chemwatch: 65-6263
 Page 14 of 14
 Issue Date: 05/09/2016

Version No: 3.1.1.1

# FLOATING ORANGE SMOKE SIGNAL 3 MINUTE

Print Date: 19/10/2017

H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Other information

## Ingredients with multiple cas numbers

Name	CAS No
barium nitrate	10022-31-8, 34053-87-7

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

LOAEL: Lowest Observed A TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index