Safety Data Sheet Marine Liferafts

SECTION I – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Liferaft, Self-Inflating	, Marine Type		
TRADE NAMES/SYNONYMS	<u>Model No.</u>	<u>Part No.</u>	<u>Model No.</u>	Part No.
TRADE NAMES/STNUNTMS	Offshore Elite 4	45-OE4()	Offshore Commander 3.0/ 4	45-OC3-4()
	Offshore Elite 6	45-OE6()	Offshore Commander 3.0/ 6	45-OC3-6()
	Offshore Elite 8	45-OE8()	Offshore Commander 3.0/ 8	45-OC3-8()
	Coastal Elite 4	45-CE4()	Coastal Cruiser 6 Valise	45-96610316-V
	Coastal Elite 6	45-CE6()	Coastal Cruiser 6 Container	45-96610317-C
	Coastal Elite 8	45-CE8()	Coastal Cruiser 6 XT	45-CCXT6V
	Coastal Cruiser 2.0	45-CCZR6()	ISAF Rescue Racer XT 4	45-RRXT4()
	Coastal Commander	45-COASTCO6()	ISAF Rescue Racer XT 6	45-RRXT6()
	Offshore Commander 4	45-OC4()	ISAF Rescue Racer XT 8	45-RRXT8()
	Offshore Commander 6	45-OC6()	ISAF Rescue Racer XT 10	45-RRXT10()
	Offshore Commander 8	45-OC8()	Revere Regatta 4	45-RAF1300 – 45-RAF1305
	Coastal Commander 2.0	45-COASTCO2-6 ()	Revere Regatta 6	45-RAF1310 – 45-RAF1315
	Offshore Commander 2.0 / 4	45-OC2-4()	Revere Regatta 8	45-RAF1320 – 45-RAF1325
	Offshore Commander 2.0 / 6	45-OC2-6()	Revere USCG/SOLAS	45-REV-CGS-4 – 45-REV-CGS-25
	Offshore Commander 2.0 / 8	45-OC2-8()	Revere USCG/SOLAS	45-REV-CPT-6 – 45-REV-CPT-16
	Revere IBA	45-REV-IBA-(4-50)	3Si IBA	45-3SI-IBA-(4-50)
PRODUCT USES	Inflatable liferaft for emergency use on recreational/pleasure or commercial boats.			
MANUFACTURER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Revere Survival Inc. 5323 Highway Ave. Jacksonville Florida, USA 32254 (INFOTRAC) Within USA/Canada 1-800-535-5053; International 1-352-323-3500			
SUPPLIER'S NAME Street Address: City State/Province Emergency Telephone Number	Same as manufacturer	listed above.		

Safety Data Sheet Marine Liferafts

HAZARDOUS ING	REDIENTS	% (by weight)	CAS Number	LD ₅₀	LC ₅₀
Not Applicable (N/A	.)				
1 Carbon 2 Nitroger 3 Pyrotec Signal Cartric Signal Article	s of other liquids, solids, or gase Dioxide, Compressed, CAS# 12 n, Compressed, CAS# 7727-37 hnic Signaling Device (flares) in Devices, Hand, UN0191, 1.4G dges, Signal, UN0405, 1.4S s, Smoke, UN0197, 1.4G s Pyrotechnic, UN0432, 1.4G , Aerial, UN0403, 1.4G	24-38-9, UN101 -9, UN1066 cluding: (3 Cartridges, Signal, UN Signals, Smoke, UN0 Flares, Aerial, UN050	507, 1.4S	
	SECTION III	– HAZARDS	IDENTIFICATION		
	ateel or aluminum cylinder of ga raft contains pyrotechnic signali to fire. Keep away from flame SECTION N/A	ng devices (flar or flame produc			
EYE CONTACT	N/A				
INHALATION	N/A				
INGESTION	N/A				
In general, liferafts	present no hazards that would r SECTION V	-	measures. TING MEASURES		
Flammable: DNO Xes - identify under which condition			Liferaft contains pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire.		
Means of Extinction			Large volumes of water		
Special Fire Fighting Procedures:			Pyrotechnic signaling device (flares) may include material that contains its own oxygen to maintain burning. Do not try to smother or use dry chemical.		
Flashpoint (°C) an	d Method		N/A		
Upper Flammable	Limit (% by volume)		N/A		
Lower Flammable	Limit (% by volume)		N/A		
Autoignition Temperature (°C)			Auto Ignition > 175° C (350° F)		
Explosion Data - Sensitivity to Impact			N/A		
Explosion Data - S	ensitivity to Static Discharge		N/A		
Hazardous Combustion Products			May form harmful fumes under fire conditions. Use air- ventilated full mask and full protective clothing when fighting fires.		

MSDS No. 1012 Rev.: M Aug. 12, 2021 Page 2 of 5

Safety Data Sheet Marine Liferafts

SECTION VI – ACCIDENTAL RELEASE MEASURES					
Leak and Spill Procedures	Hazardous materials are contained in sealed units within packed liferaft. Spills should pose no threat if the sealed units are not breached. If compressed gas cylinder ruptures, ventilate area. If pyrotechnic signaling device ruptures, material spilled from unit should be swept away and burned by trained personnel. Ignition sources must be avoided. Handle materials with care.				
	S	ECTION VII - HANDLING AND STORAGE			
Handling Procedures and Equipment	Do not drop the packed liferaft. Do not pull the inflation lanyard (painter line) on the raft. Only lift the packed raft by its handles if packed in a fabric valise. If raft is packed in a hard container, lift from bottom. Opening the raft value or hard container may cause the raft to inflate. Liferaft can cause injury if inflated close to people or in a confined area. The liferaft's compressed gas cylinder is equipped with a pressure relief device. The device will vent gas from the cylinder if stored at temperatures above 130°F. The raft may partially or fully inflate if the pressure relief device activates.				
Storage Requirements	These units should be stored in a cool, dry area away from danger of sparks, heat or flame.				
SECTIO	ON VIII	- EXPOSURE CONTROLS, PERSONAL PROTECTION			
Exposure Limits: DACGIH	TLV	⊐ OSHA PEL Other (specify) N/A			
Engineering Controls (speci	Engineering Controls (specific) N/A				
Personal Protective Equipment: ☐ Gloves ☐ Respirator ☐ Eye ☐ Footwear ☐ Clothing ☐ Other (if checked, specify type) N/A					
S	ECTIO	N IX – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State		N/A			
Odor and Appearance		N/A			
Odor Threshold (ppm)		N/A			
Specific Gravity		N/A			
Vapor Density (air=1)		N/A			
Vapor Pressure (mmHg)		N/A			
Evaporation Rate		N/A			
Boiling Point (°C)		N/A			
Freezing Point (°C)		N/A			
рН		N/A			
Coefficient of Water/Oil Dist	ribution				
Solubility in Water N/A SECTION X – STABILITY AND REACTIVITY					
Stable under normal temperat	⁶	o - Identify under which conditions d conditions.			
Incompatibility with other substances: No Pes - Identify which ones					
Reactivity, and under what conditions? N/A					
Hazardous Decomposition Products May form harmful fumes under fire conditions.					

Safety Data Sheet Marine Liferafts

			SECTION XI- TOXICOLOGY INFORMATION		
Effects of Acute Exposure			N/A		
Effects of Chronic Exposure		Exposure	N/A		
Irritancy of Product		t	N/A		
Respirato	Respiratory Sensitization		N/A		
Carcinogenicity – IARC		ARC	N/A		
Carcinogenicity – ACGIH		ACGIH	N/A		
Reproductive toxicity		ity	N/A		
Teratogenicity			N/A		
Embryotoxicity			N/A		
-	Mutagenicity		N/A		
Name of s	Name of synergistic products/effects		Veffects N/A		
			SECTION XII – ECOLOGICAL INFORMATION		
Aquatic T	oxicity	oxicity N/A			
			SECTION XIII – DISPOSAL CONSIDERATIONS		
Waste Dis	released will dissipate into		n is the preferred method of disposal of pyrotechnic materials. Any compressed gas vill dissipate into the atmosphere and leave no hazardous waste. Other solid portions of may be disposed of as domestic waste in accordance with local laws and regulations.		
			SECTION XIV – TRANSPORT INFORMATION		
		nformation	Classified according to DOT, ADR, IMDG, and IATA: UN2990 Class 9 Proper shipping name: Life Saving Appliance, Self-Inflating		
DOT	See Above and 49CR172.101 and 49CFR173.219				
IMO	See Above				
ΙΑΤΑ	See Above				
	SECTION XV – REGULATORY INFORMATION				
OSHA	As required by US federal regulations.				
SERA	N/A				
TSCA	N/A				

Safety Data Sheet Marine Liferafts

SECTION XVI- OTHER INFORMATION

Disclaimer Liability: Since conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate. All statements or suggestions are made without warranty, express of implied, regarding the accuracy of the information, the hazards connected with the use of the product, or the results to be obtained from the use thereof. Compliance with all federal, state, and local laws and regulations remains the responsibility of the user.

User Responsibility: This MSDS cannot cover all possible situations which the distributor, retailer, or end user may experience during transport, storage, processing, or use. The user should examine each aspect of his operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to the user's employees or customers. It is the user's responsibility to use this information to develop appropriate work practice guidelines and employee training programs for his operation.