

REVERE SURVIVAL INC.

Safety Data Sheet

Aviation Liferafts

SECTION I – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Liferaft, Self Inflating, Aviation Type			
TRADE NAMES/SYNONYMS	<u>Model No.</u>	<u>Part No.</u>	<u>Model No.</u>	<u>Part No.</u>
	Aero Compact 2	45-AC2()	Aero Elite 4	45-AE4()
	Aero Compact 4	45-AC4()	Aero Elite 6	45-AE6()
	Aero Compact 6	45-AC6()	Aero Elite 8	45-AE8()
PRODUCT USES	Inflatable liferaft for emergency use on private, non-commercial aircraft.			
MANUFACTURER'S NAME	Revere Survival Inc.			
Street Address:	5323 Highway Ave.			
City	Jacksonville			
State/Province	Florida, USA			
Postal Code	32254			
Emergency Telephone Number	(INFOTRAC) Within USA/Canada 1-800-535-5053; International 1-352-323-3500			
SUPPLIER'S NAME	Same as manufacturer listed above.			
Street Address:				
City				
State/Province				
Postal Code				
Emergency Telephone Number				

SECTION II – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	% (by weight)	CAS Number	LD₅₀	LC₅₀
Not Applicable (N/A)	---	---	---	---

Hazardous mixtures of other liquids, solids, or gases:

- 1.- Carbon Dioxide, Compressed, CAS# 124-38-9, UN1013
- 2.- Nitrogen, Compressed, CAS# 7727-37-9, UN1066
- 3.- Pyrotechnic Signaling Device (flares) including:
 - Signal Devices, Hand, UN0191, 1.4G
 - Cartridges, Signal, UN0312, 1.4G

SECTION III – HAZARDS IDENTIFICATION

Liferaft contains a steel or aluminum cylinder of gas under pressure which may discharge or rupture under extreme temperatures. Aero Elite and Aero Compact liferafts with attached kits contain pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire. Keep away from flame or flame producing sources. Hazards from pyrotechnics do not apply to Aero Compact rafts without kits (P/N 45-AC2V, 45-AC2VP, 45-AC4V, 45-AC4VP)

REVERE SURVIVAL INC.

Safety Data Sheet

Aviation Liferafts

SECTION IV – FIRST AID MEASURES

SKIN CONTACT	N/A
EYE CONTACT	N/A
INHALATION	N/A
INGESTION	N/A

In general, liferafts present no hazards that would require first aid measures.

SECTION V – FIRE FIGHTING MEASURES

Flammable: <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes - identify under which conditions	Liferaft contains pyrotechnic signaling devices (flares) that are explosive. Flares will burn with intense heat when exposed to fire.
Means of Extinction	Large volumes of water
Special Fire Fighting Procedures:	Pyrotechnic signaling device (flares) may include material that contains its own oxygen to maintain burning. Do not try to smother or use dry chemical.
Flashpoint (°C) and Method	N/A
Upper Flammable Limit (% by volume)	N/A
Lower Flammable Limit (% by volume)	N/A
Autoignition Temperature (°C)	Auto Ignition > 175 °C (350 °F)
Explosion Data - Sensitivity to Impact	N/A
Explosion Data - Sensitivity to Static Discharge	N/A
Hazardous Combustion Products	May form harmful fumes under fire conditions. Use air-ventilated full mask and full protective clothing when fighting fires.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures	Hazardous materials are contained in sealed units within packed liferaft. Spills should pose no threat if the sealed units are not breached. If compressed gas cylinder ruptures, ventilate area. If pyrotechnic signaling device ruptures, material spilled from unit should be swept away and burned by trained personnel. Ignition sources must be avoided. Handle materials with care.
----------------------------------	--

SECTION VII - HANDLING AND STORAGE

Handling Procedures and Equipment	Do not drop the packed liferaft. Do not pull the inflation lanyard (painter line) on the raft. Only lift the packed raft by its handles if packed in a fabric valise. If raft is packed in a hard container, lift from bottom. Opening the raft valise or hard container may cause the raft to inflate. Liferaft can cause injury if inflated close to people or in a confined area. The liferaft's compressed gas cylinder is equipped with a pressure relief device. The device will vent gas from the cylinder if stored at temperatures above 130°F. The raft may partially or fully inflate if the pressure relief device activates. Prolonged exposure to moisture may cause the water activated light on some rafts to discharge and give off a non-hazardous "rotten egg" smell. Fully ventilate the area.
Storage Requirements	These units should be stored in a cool, dry area away from danger of sparks, heat or flame.

REVERE SURVIVAL INC.

Safety Data Sheet

Aviation Liferafts

SECTION VIII – EXPOSURE CONTROLS, PERSONAL PROTECTION**Exposure Limits:** ACGIH TLV OSHA PEL Other (specify) N/A**Engineering Controls (specific)** N/A**Personal Protective Equipment:** Gloves Respirator Eye Footware Clothing Other
(if checked, specify type)
N/A**SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES****Physical State** N/A**Odor and Appearance** N/A**Odor Threshold (ppm)** N/A**Specific Gravity** N/A**Vapor Density (air=1)** N/A**Vapor Pressure (mmHg)** N/A**Evaporation Rate** N/A**Boiling Point (°C)** N/A**Freezing Point (°C)** N/A**pH** N/A**Coefficient of Water/Oil Distribution** N/A**Solubility in Water** N/A**SECTION X – STABILITY AND REACTIVITY****Chemical Stability:** Yes No - Identify under which conditions
Stable under normal temperatures and conditions.**Incompatibility with other substances:** No Yes - Identify which ones
N/A**Reactivity, and under what conditions?**
N/A**Hazardous Decomposition Products**
May form harmful fumes under fire conditions.**SECTION XI- TOXICOLOGY INFORMATION****Effects of Acute Exposure** N/A**Effects of Chronic Exposure** N/A**Irritancy of Product** N/A**Respiratory Sensitization** N/A**Carcinogenicity – IARC** N/A**Carcinogenicity – ACGIH** N/A**Reproductive toxicity** N/A**Teratogenicity** N/A**Embryotoxicity** N/A**Mutagenicity** N/A**Name of synergistic products/effects** N/A

REVERE SURVIVAL INC.

Safety Data Sheet

Aviation Liferafts

SECTION XII – ECOLOGICAL INFORMATION**Aquatic Toxicity** N/A**SECTION XIII – DISPOSAL CONSIDERATIONS****Waste Disposal** Incineration is the preferred method of disposal of pyrotechnic materials. Any compressed gas released will dissipate into the atmosphere and leave no hazardous waste. Other solid portions of the liferaft may be disposed of as domestic waste in accordance with local laws and regulations.**SECTION XIV – TRANSPORT INFORMATION****Special Shipping Information** Classified according to DOT, ADR, IMDG, and IATA:
UN2990
Class 9
Proper shipping name: Life Saving Appliance, Self Inflating**DOT** See Above and 49CR172.101 and 49CFR173.219**IMO** See Above**IATA** See Above**SECTION XV – REGULATORY INFORMATION****OSHA** As required by US federal regulations.**SERA** N/A**TSCA** N/A**SECTION XVI – OTHER INFORMATION****Disclaimer Liability:** Since conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate. All statements or suggestions are made without warranty, express or implied, regarding the accuracy of the information, the hazards connected with the use of the product, or the results to be obtained from the use thereof. Compliance with all federal, state, and local laws and regulations remains the responsibility of the user.**User Responsibility:** This MSDS cannot cover all possible situations which the distributor, retailer, or end user may experience during transport, storage, processing, or use. The user should examine each aspect of his operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to the user's employees or customers. It is the user's responsibility to use this information to develop appropriate work practice guidelines and employee training programs for his operation.