

# RECREATIONAL COMMERCIAL & AVIATION CATALOG

LIFE RAFTS | LIFE JACKETS | MAN OVERBOARD RECOVERY

NEVER COMPROMISING

Revere Survival Products<sup>™</sup> was founded in 1936. Since its inception, our company has manufactured and distributed premium survival equipment to meet all recreational, commercial and aviation needs. Our full line of products includes life rafts, inflatable life jackets, beacons, pyrotechnics, and man-overboard rescue systems.

Founded as the Sculler Corporation based in New York City, the first product developed was a line-throwing cannon. During World War II, the Sculler Corporation distributed balsa wood life floats and personal floatation devices to aid in the war efforts.

# CONTENTS

### COMMERCIAL

### LIFE JACKETS

- 5 COMFORTMAX COMMERCIAL INFLATABLE
- 6 CHALLENGER AQUA JUNIOR SOLAS
- 6 CHALLENGER INTERLOCK 275 SOLAS LIFE JACKET
- 7 CHALLENGER FLEXI-WING SOLAS LIFE JACKET

### LIFE JACKET ACCESSORIES

- 7 AQUASPEC AQ40S LED LIGHT
- 7 AQUASPEC AQ40L LED LIGHT

### **LIFE RAFTS**

- 8 **REVERE USCG SOLAS**
- **REVERE USCG COMPACT** 10
- **REVERE USCG COASTAL PACK** 12
- 14 **REVERE INFLATABLE BUOYANT APPARATUS (IBA)**

### LIFE RAFT ACCESSORIES

**38 HAMMAR HYDROSTATIC** RELEASE

### SIGNALLING

- 42 RED PARACHUTE SIGNAL ROCKET
- 42 SMOKE SIGNAL ORANGE
- 42 RED HANDHELD
- 42 LINE THROWER 250
- 43 DAY AND NIGHT SIGNAL
- 43 15 MINUTE BUOY SMOKE SIGNAL
- 43 MAN OVERBOARD LIGHT **& SMOKE MARKER**

### **PYROTECHNIC**

- 45 LARGE POLYBOTTLE
- 45 SHIP'S BRIDGE DISTRESS KIT
- 45 OFFSHORE DISTRESS KIT

- 45 LIFEBOAT DISTRESS KIT
- 45 OVER 50 MILE DISTRESS KIT

### **RESCUE BEACONS**

46 **RESCUEME MOB1** 

### RECREATIONAL

### **LIFE JACKETS**

- 5 **COMFORTMAX INFLATABLE**
- 4 **COMFORTMAX INFLATABLE** BELT PACK

### LIFE JACKET ACCESSORIES

- 7 AQUASPEC AQ40S LED LIGHT
- AQUASPEC AQ40L LED LIGHT 7

### LIFE RAFTS

- 16 COASTAL COMPACT
- 18 **OCEAN SAFETY STANDARD**
- 20 **COASTAL COMMANDER 3.0**
- COASTAL ELITE 22
- 24 **OFFSHORE COMMANDER 3.0**
- 26 **OFFSHORE ELITE**
- 32 OCEAN ULTRALITE
- 34 **OCEAN ISO**
- **REVERE REGATTA** 36

### LIFE RAFT ACCESSORIES

HAMMAR HYDROSTATIC 38 RELEASE

### MAN OVERBOARD

38 **OCEAN SAFETY HORSESHOE** 

### JON BUOY RANGE

- JON BUOY GLO LITE DANBUOY 39
- 39 JON BUOY GLO LITE HORSESHOE

- **40 JON BUOY GLO LITE RECOVERY MODULE**
- JON BUOY GLO LITE DANBUOY **41** & HORSESHOE COMBINATION

### **SIGNALLING**

- 44 ACR RESQFLARE
- 44 **RESCUEME EDF1**

#### **RESCUE BEACONS**

- **RESCUEME MOB1**
- **RESCUEME PLB1**
- 46 **OCEAN SIGNAL EPIRB1**
- **OCEAN SIGNAL EPIRB1 PRO** 46

### **AVIATION**

### **LIFE JACKETS**

- 5 **COMFORTMAX INFLATABLE**
- **COMFORTMAX INFLATABLE BELT PACK**

#### LIFE JACKET ACCESSORIES

7 AQUASPEC AQ40S LED LIGHT

### **LIFE RAFTS**

- 28 AERO COMPACT
- **30** AERO ELITE

### SIGNALLING

- 43 PERSONAL SIGNAL LAUNCHER
- 43 DAY AND NIGHT SIGNAL
- 44 RESCUEME EDF1

### **RESCUE BEACONS**

- 46 RESCUEME PLB1

- 46 46

- 46 **RESCUEME PLB1** 46 **OCEAN SIGNAL EPIRB1 PRO**

### COMFORTMAX INFLATABLE LIFE JACKET

Revere's ComfortMax Inflatable Life Jacket offers a manual or auto inflation system, combining comfort with the convenience of instant CO2 inflation technology. It has dual waist adjustment straps for a perfect fit, and a D-ring for connecting a kill-switch lanyard for safety. The heavy-duty 420 denier nylon fabric covering has a clear status window with a view of the inflation system status indicator.

### FEATURES

- USCG approved for persons at least 16 years of age weighing 80 lbs. and above with a chest size between 30" and 52"
- 35 lbs. of buoyancy (156N)
- Dual waist belt stainless-steel adjusters
- Exterior inflation system access flap
- · Comfortable 2" waist strap and dual back straps
- Heavy-duty 420 denier nylon outer cover
- Includes signal whistle
- SOLAS-grade retro-reflective tape on inflatable bladder, accessory strap on bladder for attachment of optional Aquaspec light
- Neck area has no velcro or edge binding (which would cause chafing or abrasion) for all-day comfort

SS	Part numbers	Description	Manual or Auto	Color
RNE	45-61018-101N	Comfort Max Inflatable Life Jacket-Aviation	Manual	Navy
NO HARNESS	45-61018-101R	Comfort Max Inflatable Life Jacket-Aviation	Manual	Red
NON	45-61019-101N	Comfort Max Inflatable Life Jacket	Auto	Navy
	45-61019-101R	Comfort Max Inflatable Life Jacket	Auto	Red
			Manual	
10	Part numbers	Description	or Auto	Color
HARNESS	45-61020-101N	Comfort Max Inflatable Life Jacket -harness	Manual	Navy
	45-61020-101R	Comfort Max Inflatable Life Jacket-harness	Manual	Red
	45-61021-101N	Comfort Max Inflatable Life Jacket-harness	Auto	Navy

RE-ARM

45-61021-101R

Part numbers	Description	Manual or Auto
45-RAKM	Comfortmax Re-Arm kit	Manual
45-RAKA	Comfortmax Re-Arm kit	Auto

Auto

Red

Comfort Max Inflatable Life Jacket-harness



## COMMERCIAL RECREATIONAL AVIATION



### COMFORTMAX COMMERCIAL INFLATABLE LIFE JACKET

Revere Survival's Commercial Inflatable Life Jacket offers an auto inflation system. Combining comfort with the convenience of instant CO2 technology.

It has dual waist adjustment straps for a perfect fit, and a D-ring for connecting a kill-switch lanyard for safety. The heavy-duty 420 Denier nylon fabric covering has a clear status window with a view of the inflation system status indicator.

#### FEATURES

- USCG approved for persons at least 16 years of age, weighing more than 80 lbs, with a chest size between 30"and 52"
- Outer cover is made of heavy duty 420 denier nylon available in international orange
- Comfortable 2" waist strap and dual back straps
- Access flap allows for clear, direct access to the CO2 cylinder for rearming. The CO2 cylinder can be replaced without opening and unfolding the entire life jacket
- SOLAS-grade retro-reflective tape

- Neck Area has no velcro or edge binding (which would cause chafing or abrasion) for all-day comfort
  - Designed specifically for commercial use, using the same technology as our award winning ComfortMax
  - Dual waist belt with stainless steel adjusters provides easy adjustment
  - Includes signal whistle
  - Accessory strap on bladder for attachment of Aquaspec light (optional)
  - 35lbs of buoyancy (156N)

JACKET		
COMMERCIAL		
for e,	REVERE	B
ers		
ent and a set	, e	

FRONT

RECREATIONAL

AVIATION

 Part numbers
 Description

 45-61019-111SO
 ComfortMax Commercial Inflatable Life Jacket

### COMFORTMAX INFLATABLE LIFE JACKET BELT PACK

The same quality of the original ComfortMax, available in a convenient and comfortable belt pack design.

### FEATURES

- USCG Approved
- Size: Adult Universal
- Fabric: 210 denier nylon urethanecoated chamber
- Includes whistle & D-ring for kill switch lanyard on pouch
- User weight: More than 80 lbs. (>36 kg)
- Chest size: 30" 52" (762 1321mm)

- Buoyancy: 35 lbs = 156 Newton's
- 2" webbing with 2" buckles
- Reflective tape on inflatable bladder
- 420 denier outer pouch
- Heavy-duty buckle
- 33g CO2 cylinder
- Clear status window

Part numb	ers Descr	iption	Part numbers	Description	Manual or Auto
45-61098-1	)1N Navy C	omfortMax Inflatable Life Jacket Belt Pack	45-RAKM	Comfortmax Re-Arm kit	Manual
45-61098-1	)1R Red Co	mfortMax Inflatable Life Jacket Belt Pack	45-RAKA	Comfortmax Re-Arm kit	Auto

# 6 | LIFE JACKETS

### CHALLENGER AQUA JUNIOR SOLAS LIFE JACKET

The SOLAS Aqua Junior is the child's version in the SOLAS range which has been specifically designed to provide a comfortable and compact life jacket that conforms to the latest regulations.

### FEATURES

- 115N buoyancy
- SOLAS/MED/Shipswheel approved
- Twin chamber for improved security
- Stainless steel front buckle fastening
- Tailored fit

- Buddy line
- Stainless steel deck harness
- Fitted lifting beckets
- Whistle
- Crotch strap as standard
- · Hook & Loop quick burst cover
- Red nylon cover

Description	Colo
Challenger Aqua Junior SOLAS Life Jacket - HR Auto Harness	Red
	Description Challenger Aqua Junior SOLAS Life Jacket - HR Auto Harness

### CHALLENGER INTERLOCK 275 SOLAS LIFE JACKET

The Interlock 275 is specially designed for use as a combined working/abandonment life jacket.

It is designed to be worn when the user is wearing heavy duty clothing or with an abandonment suit. This incredibly lightweight and comfortable to wear life jacket design gives excellent neck and head support which is particularly vital for an unconscious wearer.

### FEATURES

- 330N buoyancy
- SOLAS/MED/Shipswheel approved
- Twin chamber bladder system
- Interlocking bladder with wave barrier technology
- 2/3 bar stainless steel buckle
- Stainless steel D ring (harness version only)
- Life jacket light
- Buddy line

- Halkey Roberts automatic inflation system
- Adjustable fit
- Spray hood
- Wave barrier technology
- Whistle
- Lifting becket
- Hook & Loop quick burst cover

Part numbers	Description	Color
45-LIF8008	Challenger SOLAS Interlock 275N - HR Auto Harness	Red
45-LIF2860	Re-Arm Kit - 60g - Auto - 275N Life Jacket	-





AVIATION

### COMMERCIAL RECREATIONAL

# **LIFE JACKETS & ACCESSORIES**



### CHALLENGER FLEXI-WING SOLAS LIFE JACKET

The Flexi-Wing 150 Life jacket is designed as a dual purpose Emergency Abandonment or Constant Wear life jacket.

### **FEATURES**

- 150N buoyancy
- Interlocking lobe design
- · High visibility fabric
- Twin chamber security
- · Lightweight and comfortable to wear
- SOLAS/MED/Shipswheel approved
- Retroreflective tape

- The unique bladder shape features Flexi-Wing technology
- Whistle
- Lifting becket
- Buddy line
- · Hook & Loop quick burst cover
- Light (optional)

Part numbers	Description	Color
45-LIF8270	Challenger Flexi-Wing SOLAS Life Jacket - HR Auto	Red
45-LIF2850	Re-Arm Kit - 33g - Auto - 150N Life Jacket	-

### **AQUASPEC AQ40S LED LIGHT**

The AQ40S is a unique flashing life jacket light, automatically water activated by the sensor points or manually at the touch of a button.

### **FEATURES**

- USCG Approved (161.012/96/0) and USCG/ SOLAS (161.112/96/0)
- Powerful, white flashing LED dome light with built in sensor
- Manual and automatic water activation
- Tamper proof
- · Functional, compact, and simple design
- · Fixing clip designed for easy attachment
- Maintenance-free 5-year battery life



### AQUASPEC AQ40L LED LIGHT

The AQ40L is a unique flashing life jacket light, automatically water activated by the sensor points or manually at the touch of a button.

### **FEATURES**

- USCG Approved (161.012/96/0) and USCG/SOLAS (161.112/96/0)
- Powerful, white flashing LED dome light with built in sensor
- Manual and automatic water activation
- Tamper proof

- Functional, compact, and simple design
- Fixing clip designed for easy attachment
- Maintenance-free 5-year battery life

AQUA SPEC	COMMERCIAL RECREATIONAL	
Part numbers	Description	T
45-LIF2065	Aquaspec AQ40L Led Light	
45-LIF2075	Aquaspec AQ40L LED Light Packag	ged



COMMERCIAL

ON'

### **REVERE USCG SOLAS LIFE RAFT**

Meeting the needs of all types of commercial craft, the Revere USCG/SOLAS life raft range consists of two models: standard throw over and davit-launched. These rafts come in a variety of sizes accommodating 4, 6, 8, 10, 12, 16, 20 and 25 persons and davit-launched in 12, 16, 20 and 25 (available by special order only).

Every raft comes packed in a weatherproof fiberglass container to keep the raft protected for longer service life. The container is secured to a steel deck-mounted stowage cradle with a hydrostatic release, allowing for both manual and automatic launching. A space saving "low-profile" fiberglass container and aluminum, cradle assembly is also available for 4,6 and 8 person.

#### FEATURES

- USCG Approval
- Dual tube inflation system
- Inflatable boarding ramp
- Weatherproof, double zippered door
- Exterior, automatically activating locator light
- Retro-reflective tape on canopy

COMMERCIAL

- Self-erecting canopy with rain water collector
- Exterior and interior life lines
- Large water ballast bags for maximum stability
- Righting line
- Canopy & boarding ramp

#### SOLAS A pack includes

- Bailer
- Paddles (2)
- Topping-up pump
- Sea anchors (2)
- Parachute flares
- Smoke signals
- Hand flares
- Repair kit
- Drinking cup
- Thermal protective aids
- Seasick tablets
- Seasickness bags
- Flashlight (including extra batteries and bulb)
- Jack knife
- Signal mirror
- First aid kit
- Fishing kit
- Can opener
- Whistle
- Food
- Water













LOW PROFILE CONTAINER

ROUND CONTAINER

ROUND CRADLE (OPTIONAL)

LOW PROIFLE CRADLE (OPTIONAL)

Capacity	Part Numbers SOLAS A	Part Numbers SOLAS B	Dimensions (in.)	Weight A Pack (Lbs)	Weight B Pack (Lbs)
4	45-REV-CGS-4LP-A	45-REV-CGS-4LP-B	34.5 X 24.5 X 14	110	93
6	45-REV-CGS-6LP-A	45-REV-CGS-6LP-B	38 X 26 X 16	160	132
8	45-REV-CGS-8LP-A	45-REV-CGS-8LP-B	38 X 26 X 16	183	146
Capacity	Part Numbers SOLAS A	Part Numbers SOLAS B	Dimensions (in.)	Weight A Pack (Lbs)	Weight B Pack (Lbs)
6	45-REV-CGS-6R-A	45-REV-CGS-6R-B	41.5 X 23 ø	165	137
8	45-REV-CGS-8R-A	45-REV-CGS-8R-B	43 X 25.5 ø	188	150
10	45-REV-CGS-10R-A	45-REV-CGS-10R-B	46.5 X 25.5 ø	210	165
12	45-REV-CGS-12R-A	45-REV-CGS-12R-B	49 X 25.5 ø	243	188
16	45-REV-CGS-16R-A	45-REV-CGS-16R-B	47 X 27 ø	291	216
20	45-REV-CGS-20R-A	45-REV-CGS-20R-B	57 X 27 ø	371	264
25	45-REV-CGS-25R-A	45-REV-CGS-25R-B	57 X 27 ø	393	275
12	45-REV-CGS-12D-B	45-REV-CGS-12D-B	47 X 27 ø	330	275
16	45-REV-CGS-16D-B	45-REV-CGS-16D-B	57 X 27 ø	385	308
20	45-REV-CGS-20D-B	45-REV-CGS-20D-B	61.5 X 30 ø	507	419
25	45-REV-CGS-25D-B	45-REV-CGS-25D-B	65.5 X 30 ø	595	463

		1	1	1
		ſ	-	
		<	\$	ļ
	ł	(	1	
		`		

CapacityPart NumbersDescription445-CGS4CRADFits 4 person coastal (CTL) and SOLAS A & B pack6 & 845-CGS6CRADFits 6 & 8 person coastal (CTL) and SOLAS A & B pack6-2545-CGS6-25CRADFits 6- 25 person SOLAS A & B pack

### REVERE USCG COMPACT LIFE RAFT

The Revere USCG Compact Life Raft is a robust design, developed from a product that has been used by the military for more than 15 years. The life raft is capable of a reliable performance in the harshest of conditions.

The Revere USCG Compact Life Raft offers 40% space reduction over the cylindrical equivalent and is ideal for vessels with a drop height of 18m.

#### **FEATURES**

- 6, 8, 10, 12, 16 person
- USCG pack options
- Compact container
- Launch-type: throw-over
- · Stainless steel/galvanised cradle available on special order
- USCG approved internal and external lighting system
- 18m drop height
- · Insulated floor to retain heat

- · Retro-reflective tape to increase visibility
- Dual zip closure for splash protection
- Dual tube system
- Strong inflatable boarding ramp with reinforced bladder for ease of boarding
- Large water ballast pockets for maximum stability
- External life lines
- · Window ties to enable observation port

#### SOLAS A Equipment includes

- Bailer
- Paddles (2)
- Topping-up pump
- Sea anchors (2)
- Parachute flares
- Smoke signals
- Hand flares
- Repair kit
- Drinking cup
- Thermal protective aids
- Seasick tablets
- Seasickness bags
- Flashlight (including extra batteries and bulb)
- Jack knife
- Signal mirror
- First aid kit
- Fishing kit
- Can opener
- Whistle
- Food
- Water







Capacity	Part Numbers	Dimensions (in.)	Weight Pack (Lbs)
6	45-REV-CPT-6LP	31 x 22 x 13	143
8	45-REV-CPT-8LP	33 x 22 x 13	169
10	45-REV-CPT-10LP	37 x 25 x 14	198
12	45-REV-CPT-12LP	37 x 25 x 14	220
16	45-REV-CPT-16LP	43 x 26 x 15	278

Capacity	Part Numbers
6	45-6CPTCRAD
8	45-8CPTCRAD
10-12	45-10CPTCRAD
16	45-16CPTCRAD



CONTAINER

### **REVERE USCG COASTAL PACK LIFE RAFT**

Revere USCG Coastal Pack Life Raft is renowned for their uncompromising quality and design sophistication.

Available in sizes 4,6,8 person, every raft comes packed in a either weatherproof fiberglass "low-profile" container to keep the raft protected for longer service life or water resistant soft valise. The container is secured to an aluminum deck-mounted stowage cradle with a hydrostatic release, allowing for both manual and automatic launching. Features include canopy and boarding ramp for all models.

Note: All rafts contain a Coastal Pack in lieu of a SOLAS Pack.

#### FEATURES

- Dual tube inflation system
- Inflatable boarding ramp
- Weatherproof, double zippered door
- Exterior, automatically activating locator light
- Retro-reflective tape on canopy

COMMERCIAL

- Self-erecting canopy with rain water collector
- Exterior and interior life lines
- Large water ballast bags for maximum stability
- Righting line

- Bailer
- Sponge
- Topping-up pump
- Sea anchor
- Repair plugs
- Flashlight (including extra batteries and bulb)
- Whistle
- Signal mirror





Capa	city	Part Numbers	Dimensions (in.)	Weight (Lbs)
4	Ļ	45-REV-CTL-4V	28.5 X 17.5 X 10.5	67
6		45-REV-CTL-6V	30 x 21 x 14	107
8	3	45-REV-CTL-8V	35 x 22 x 14	121

Capacity	Part Number	Dimensions (in.)	Weight (Lbs)
4	45-REV-CTL-4LP	34.5 X 24.5 X 12	80
6	45-REV-CTL-6LP	38 X 26 X 16	121
8	45-REV-CTL-8LP	38 X 26X 16	134

Capacity	Part Numbers	Description
4	45-CGS4CRAD	Fits 4 person coastal (CTL) and SOLAS A & B pack
6-8	45-CGS6CRAD	Fits 6 & 8 person coastal (CTL) and SOLAS A & B pac



### **REVERE INFLATABLE BUOYANT APPARATUS (IBA)**

Revere USCG IBAs are recognized for their rugged construction and reliability during the toughest survival situations. They hold United States Coast Guard Approval and come packed in a water resistant valise or fiberglass container.

While the 4, 6, 8 and 10 person non-reversible IBA are available in a water resistant soft valise or low profile fiberglass container, the 25 and 50 person reversible IBAs are available in cylindrical containers. Our IBAs are constructed with double buoyancy chambers, inflatable boarding ramps, rescue light and an emergency equipment pack. Cradle assemblies for our low profile containers are constructed from light-weight aluminum and include a securing strap and hydrostatic release. Cradle assemblies for 25 and 50 person IBAs are constructed in powder coated steel and are available in standard flat inclined stowage. Incline cradle assemblies are available for up to three rafts and are available for special order.

#### FEATURES

- USCG Approved
- Double buoyancy chambers
- Automatically activating rescue light
- Emergency equipment packs
- Heavy duty boarding ladder on non-reversible models
- Interior and exterior life lines

- Bailer
- Bellows
- First aid kit (only available with 25 & 50 person)
- Hand flares (only available with 25 & 50 person)
- Signal mirror
- Repair kit
- Flashlight with spare bulbs
- Extra batteries
- Whistle
- Sponge





Part Numbers	Dimensions (in.)	Weight (Lbs)
45-REV-IBA-4V	27.5 x 16.5 x 10	67
45-REV-IBA-6V	27.5 x 16.5 x 11	71
45-REV-IBA-8V	27.5 x 17 x 11	74
45-REV-IBA-10V	28.5 x 17.5 x 10.5	82
	45-REV-IBA-4V 45-REV-IBA-6V 45-REV-IBA-8V	45-REV-IBA-6V       27.5 x 16.5 x 11         45-REV-IBA-8V       27.5 x 17 x 11

VALISE

LOW PROFILE

ROUND

Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
4	45-REV-IBA-4C	29.5 x 19 x 13	80
6	45-REV-IBA-6C	30 x 21 x 13	87
8	45-REV-IBA-8C	30.5 x 21.5 x 13.5	94
10	45-REV-IBA-10C	32.5 x 22.5 x 14	105

Capacity	Part Number	Dimensions (in.)	Weight (Lbs)
25	45-REV-IBA-25C	44.0 x 25.0 ø	205
50	45-REV-IBA-50C	54.5 x 27.5 ø	355





LOW PROFILE CRADLE (OPTIONAL)

ROUND CRADLE (OPTIONAL)

	Capacity	Part Number	Dimensions (in.)	Weight (Lbs)
CRADLE	4-8	45-004CRAD	44.0 x 25.0 ø	205
CR,	10	45-008CRAD	54.5 x 27.5 ø	355
	25/50 R	45-CGS6-25CRAD		



### COASTAL COMPACT LIFE RAFT

Ideal for coastal boaters, the Coastal Compact offers those travelling alone a small, lightweight and cost effective life raft solution.

With double 200 lb. SuperRev<sup>™</sup> weighted ballast pockets and sea anchor, the Coastal Compact enhances stability in rough sea conditions. Its light weight allows for easy deployment, and the compact size makes stowage easy in the smallest of spaces. Operation is easy. Just open the red flap on the valise and extend the painterline. Give a hard pull and the raft inflates automatically in less than 30 seconds with Coastal Compact's high-tech, self-contained CO2 inflation system.

#### FEATURES

 Double 200 lb. SuperRev<sup>™</sup>ballast pockets for stability

RECREATIONAL

• Compact size allows for easy stowage and deployment

- Floating knife attached to raft
- USCG-Approved wateractivated locator light
- Hand pump
- Sea anchor
- Pressure relief valve
- CO2 inflation system
- 20ft. painterline
- Bailer
- Owner's manual







	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
VALISE	4	45-CC2V	19.5 x 10 x 5	13
٨٧	6	45-CC4V	16.5 x 13 x 5	16
	8	45-CC6V	20 x 13 x 7	20

LISE WITH ΑΝΟΡΥ	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
	4	45-CC4VP	16.5 x 13 x 6	18.5
VAI	6	45-CC6VP	20 x 14 x 7.5	23



### **OCEAN SAFETY STANDARD LIFE RAFT**

The Ocean Standard life raft is a practical yet affordable life raft for coastal sailing and is the latest addition in the life raft range offered by Ocean Safety, partnered with Revere.

This life raft is offered in either a container or valise. It was introduced to fulfil the requirement for a quality yet practical entry level life raft, which is ideal for coastal and short offshore recreational boating and non-coded craft.

#### FEATURES

- Made with quality rubber
- Insulated floor
- Highly visible orange canopy
- 4 x 30 liter water pockets
- Zip closure on entrance

- Rain water dispenser system
- Rain water collection system
- Automatic light
- ORC safety pack

- Pair of oars
- Red hand flares
- Bailer
- Sponges (2)
- Waterproof flashlight
- Whistle
- Lifesaving signal cards
- Floating knife
- Drogue
- Repair clamps
- Rescue quoit and 100ft line
- Bellows hand pump







Ш	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
VALISE	4	45-RAF0430	23.5 x 9.5 x 15	52
	6	45-RAF0440	27 x 9.5 x 16	64

Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
4	45-RAF0435	25.6 x 17 x 11	62
6	45-RAF0445	29.2 x 19 x 11.5	84

CONTAINER

JLE	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
CRADLE	4	45-COCOCRAD	36.25 x 16.75 x 9	7
	6	45-OSISOCRAD	36.25 x 16.75 x 9	7



### **COASTAL COMMANDER 3.0 LIFT RAFT**

The Coastal Commander 3.0 is Revere Survival's answer to economy, durability and above all, safety – requiring service just once every three years! Constructed with two rugged oversized tubes for greater freeboard and an self-erecting arch canopy, the Coastal Commander 3.0 is fitted at each corner of the raft with lead weighted deep water ballast pockets to improve stability in rough sea conditions until search and rescue arrives. These along with many more safety features, helps ensure the Coastal Commander 3.0 will keep you safe on the water.

#### FEATURES

- Boarding ladder
- · Righting line on floor bottom
- Self-erecting canopy with:
  - Weatherproof, double zippered door
  - Rear rainwater collector
- Adhesive bonded and taped seams, inside and out
- Vacuum-packed for protection against the environment and to minimize service costs
- Interior and exterior life lines

RECREATIONA

- Neoprene coated polyester tube and floor fabric
- Polyurethane coated polyester canopy fabric
- (4) Ballast bags w/fast deploying weights
- Sea anchor with 100ft tow line
- Floating rescue ring and 100ft line
- Floating raft knife
- Pressure relief valves
- 4ft 2" of floor space per person

- USCG/SOLAS approved red hand flares (2)
- Air pump
- Bailer
- Rescue whistle
- Repair kit
- First aid kit
- Paddles (2)
- Seasick bags
- Seasick tablets
- Water-tight flashlight
- Spare flashlight batteries
- Sponges (2)
- Instruction handbook









VALISE	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
1>	6	45-COASTCO3-6V	30 x 17.5 x 11	75
CONTAINER	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
CON	6	45-COASTCO3-6C	30.5 x 22 x 14	87
CRADLE	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
CR	6	45-004CRAD	32.5 x 23.5 x 7.25	9.5



# 22 | LIFE RAFTS

### COASTAL ELITE LIFE RAFT

The Revere Coastal Elite has a plethora of features, and offers a lightweight, easily deployable life raft option.

### FEATURES

- Large, oversized tube 13" in diameter
- Spacious 4-square feet-per person interior
- Automatically inflated canopy
- Floating rescue ring and 75ft line
- Extra large weighted ballast pockets for stabilization in rough seas
- Extensive equipment pack including USCG/SOLAS pyrotechnics

- Floating knife attached to raft
- Self-deployed sea anchor
- Zippered windows
- Vacuum packed
- Retro-reflective strips
- Heavy duty boarding ladder

- USCG/SOLAS approved red hand flares (2)
- Bailer
- Signal mirror
- Paddles
- Repair kit
- Seasick tablets
- Paddles
- Repair kit
- Seasick tablets
- Water-tight flashlight
- Extra flashlight batteries
- Whistle
- Sponge
- Handpump
- Owner's manual







	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
ISE	4	45-CE4V	25 x 18.5 x 10	45
VALISE	6	45-CE6V	28 x 17.5 x 11.5	50
	8	45-CE8V	30 x 19 x 12.5	56
_				
æ	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
AINEI	4	45-CE4C	31.5 x 22 x 12.5	62
CONTAINER	6	45-CE6C	31.5 x 22 x 12.5	67
U	8	45-CE8C	31.5 x 22 x 12.5	73
CRADLE	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
~				



### **OFFSHORE COMMANDER 3.0 LIFE RAFT**

The Offshore Commander 3.0 provides the same durable quality as the Coastal Commander, yet is suitable for offshore boating. It's the latest in affordable, offshore life rafts by Revere.

### FEATURES

- Foam insulated floor for cold water
- Exterior locator light
- Retro-reflective tape
- Boarding ladder
- Righting line on floor bottom
- Self-erecting canopy with:
  - Weatherproof, double zippered door
  - Rear rainwater collector
- Adhesive bonded and taped seams, inside and out

RECREATIONAL

- Rugged twin 9" diameter buoyancy tubes
- Interior and exterior life lines

- 4 ballast bags w/fast deploying weights
- Vacuum-packed for protection against the environment and to minimize service costs
- Neoprene coated polyester tube and floor fabric
- Polyurethane coated polyester canopy fabric
- Sea anchor with 100ft tow line
- Floating rescue ring and 100ft line
- Floating raft knife
- Pressure relief valves
- 36ft painterline

- USCG/SOLAS approved red hand flares (2)
- USCG approved parachute rocket (1)
- Hand pump
- Whistle
- Signal mirror
- Repair kit
- First aid kit
- Wooden paddles (2)
- Bailing bucket
- Seasick bags
- Seasick tablets
- Floating flashlight
- Spare flashlight batteries
- Sponges (2)
- Sea anchor
- Drinking water
- Instruction handbook









VALISE	





	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
VALISE	4	45-OC3-4V	26 x 17 x 11	71
VAL	6	45-OC3-6V	30 x 19.5 x 13	82
	8	45-OC3-8V	32 x 21 x 12	96
~	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
AINER	4	45-OC3-4C	30 x 19.5 x 13	83
CONTAINER	6	45-OC3-6C	30.5 x 22 x 14	97
0	8	45-OC3-8C	32 x 22 x 14	109
CRADLE	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
CRA	4-6	45-004CRAD	32.5 x 23.5 x 7.25	9.5



# <sup>26</sup> LIFE RAFTS

### **OFFSHORE ELITE LIFE RAFT**

The Revere Offshore Elite has a plethora of features, and offers a lightweight, easily deployable life raft option.

### FEATURES

- Large, multi-chambered tube up to 11.25" in diameter
- Spacious 4-square feet-per person interior
- Automatically inflated canopy
- Heavy-duty, self-inflating boarding ramp
- Extra large ballast pockets for stabilization
- Self-deployed sea anchor
- Extensive equipment pack including USCG/SOLAS pyrotechnics

RECREATIONA

- Vacuum packed for greater protection and minimize servicing costs
- Inflatable floor
- Zippered windows
- Self-deployed sea anchor
- Floating knife attached to raft
- Stowage pockets
- Flashing strobe
- Floating rescue ring and 75ft line

- USCG/SOLAS approved red hand flares (3)
- Parachute signal rockets (2)
- Bailer
- Signal mirror
- Paddles (2)
- Seasick tablets
- Water-tight flashlight
- Extra AA flashlight batteries
- Whistle
- First aid kit
- Fishing kit
- Repair kit
- Food rations
- Drinking water
- Owner's manual
- Sponges (2)
- Scissors
- Hand pump





	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
VALISE	4	45-OE4V	28 x 19 x 12	55
VAL	6	45-OE6V	30 x 17 x 13	63
	8	45-OE8V	36.5 x 19 x 11	72
ĉ	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
CONTAINER	4	45-OE4C	31.5 x 22 x 12.5	71
CONT	6	45-OE6C	34 x 25 x 13	81
0	8	45-OE8C	34 x 25 x 13	88
щ	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
CRADLE	4	45-OE4CRAD	21.5 x 14 x 5.5	6.75
0	6-8	45-OE6CRAD	24 x 17 x 5.5	7.5



### **REVERE REGATTA LIFE RAFT**

Revere's latest addition to their comprehensive life raft range, the Regatta life raft offers a light and ultra-compact ISO9650 - Part 1 raft where space and weight savings are a important requirement.

Offering stability and resistant to extreme open sea conditions, the Revere Regatta is designed to protect passengers in offshore conditions where strong winds and significant waves can be met. The self-deploying canopy and large entry opening allows for easy access on board. In addition to its compact design, the ISO9650-Part I raft is offered in 4, 6 and 8 person capacity. The raft comes in valise or container pack and have a less than 24hr survival pack inside the life raft.

#### FEATURES

- Highly visible green canopy
- Exterior locator light
- Interior light
- SOLAS Retro-reflective tape
- · Boarding ramp and knee
- Boarding ladder
- Insulated floor
- Internal life lines
- External life lines

- Rainwater collection system
- Observation port
- Vacuum packed
- 4 ballast bags
- Independent buoyancy tubes
- <24 hour pack
- 5 sq ft. per person
- 3 years service interval

#### Includes

- Signalling mirror
- Whistle
- Red hand flares (3)
- Parachute flares (2)
- Seasickness pills (6/Prs)
- Sickness bag (1/Prs)
- Signal lamps/torches (2)
- Dry cell + bulbs (2)
- Repair kit
- Bailer
- Sponges (2)
- Mini pump inc adapter
- Manual
- Waterproof bag with zipper
- Floating knife
- Rescue quoit + line
- Sea anchor + line
- Internal + external light
- Paddles (2)



RECREATIONAL

	Real Property in the second se	
VALISE	CONTAINER	CRADLE (OPTIONAL)

	Capacity	Part Numbers	Dimensions (in.)	Weight Pack (Lbs)
SE	4	45-RAF1305	25.5 X 15.75 X 9	64
VALISE	6	45-RAF1315	25.5 X 16.75 X 9.5	73
	8	45-RAF1325	27.5 X 19.3 X 10	86
CONTAINER	Capacity	Part Numbers	Dimensions (in.)	Weight Pack (Lbs)
	4	45-RAF1300	26.5 X 17.75 X 9.25	72
ONT/	6	45-RAF1310	28.25 X 20 X 9.25	83
0	8	45-RAF1320	28.25 X 20 X 10	97
DLE	Capacity	Part Numbers	Dimensions (in.)	Weight Pack (Lbs)
CRADLE	4-8	45-OISOCRAD	36.25 X 16.75 X 9	7



### **OCEAN ISO LIFE RAFT**

The award winning Ocean ISO9650 Life Raft is compact and of superior design and construction and has been developed specifically for the global leisure market. This life raft meets the requirements under current MCA Codes Of Practice, Class XII and World Sailing Offshore Special Regulations and has been third party approved to ISO9650 Type 1 Group A requirements by the Notified Body RINA.

### FEATURES

- Exceptional quality designed, tested and manufactured to ISO9650
- Made with PU nylon laminate
- Insulated floor
- SOLAS approved internal and external lighting system
- Strong boarding ladder with aluminium tubing to improve ease of access
- Knee scoop with grab handles for quick boarding

- Hermetically sealed
- Highly visible in yellow and orange
- Rain water collection
- 4/5 x 20 gallon ballast pockets for increased stability
- Retro reflective tape
- Canister or valise
- 3 year service interval

#### Includes

- Buoyant knife
- Bailer
- Sponges
- Paddles
- Whistles
- Flashlights
- Signal mirror
- Anti seasick pills
- Red H/H flares
- Para rocket flares
- Repair kit
- Bellows
- Throwing line 100ft
- Drogue

#### Please note:

SOLAS B and >24 equipment pack available by special order.



### RECREATIONAL



Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
4	RAF0100	26.5 x 16.5 x 9.5	62
6	RAF0110	29.25 x 17 x 9.5	77
8	RAF0120	29.5 x 17.5 x 10	88
10	RAF0130	33.5 x 17.75 x 10.25	103.5

Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
4	RAF0151	26.5 x 16.5 x 11	81.5
6	RAF0153	29.25 x 18.25 x 10.5	110
8	RAF0155	29.25 x 18.5 x 11.25	119
10	RAF0157	33.5 x 19.25 x 11.5	159

Capacity	Part Numbers	Dimensions	Weight (Lbs)
Capacity	Taumbers	(11.)	
4	RAF0160	26.5 x 16.5 x 11	69.5
6	RAF0170	29.5 x 18.25 x 10.5	92.5
8	RAF0180	29.5 x 17.5 x 11.25	94
10	RAF0190	33.5 x 19.25 x 11.5	112.5

Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
4-8	45-OSISOCRAD	36.25 x 16.75 x 9	7

4HR	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
CONTAINER UNDER 24HR	4	RAF0105	28 x 19.25 x 9.5	66
S UND	6	RAF0115	28 x 19.25 x 11.25	81.5
AINEF	8	RAF0125	31.5 x 20.5 x 11.25	89.5
ONT	10	RAF0135	35.25 x 20.5 x 11.25	106
0	12	RAF0140	35.25 x 20.5 x 11.25	111.5

HR	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
ER 24	4	RAF0152	28 x 19.25 x 11.25	90.5
R OV	6	RAF0154	31.5 x 20.5 x 12.25	117
CONTAINER OVER 24HR	8	RAF0156	31.5 x 20.5 x 12.25	130
CONT	10	RAF0158	35 x 20.5 x 12.25	156.5
0	12	RAF0159	35 x 20.5 x 12.25	181

В	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
SOLAS	4	RAF0165	28 x 19.25 x 11.25	79.5
IER SO	6	RAF0175	31.5 x 20.5 x 12.25	98
CONTAINER	8	RAF0185	31.5 x 20.5 x 12.25	105
	10	RAF0195	35 x 20.5 x 12.25	124.5
	12	RAF0200	35 x 20.5 x 12.25	131

### **OCEAN ULTRALITE LIFE RAFT**

The Ocean ISO UltraLite Life Raft utilizes carbon composite technology to achieve a significant weight reduction, compared to the traditional range of Ocean ISO life rafts. It also includes a high-tech inflation system to ensure an efficient inflation process. The raft has been 3rd party approved to ISO9650 Type I Group A requirements by the Notified Body RINA.

This life raft offers the huge benefits of a lightweight solution for yacht designers but most importantly larger life rafts are now easier to handle and deploy.

### FEATURES

- Exceptional quality designed, tested and manufactured to ISO9650
- Made with PU nylon laminate
- Insulated floor
- SOLAS approved internal and external lighting system
- Strong boarding ladder with aluminium tubing to improve ease of access
- Knee scoop with grab handles for quick boarding

RECREATIONAL

• Hermetically sealed

- Highly visible in yellow and orange
- Exceptional quality designed, tested and manufactured to ISO9650
- Rain water collection
- 4/5 x 20 gallon ballast pockets for increased stability
- Retro reflective tape
- Canister or valise
- 3 year service interval

- Buoyant knife
- Bailer
- Sponges
- Paddles
- Whistles
- Flashlights
- Signal mirror
- Anti seasick pills
- Red H/H flares
- Para rocket flares
- Repair kit
- Bellows
- Throwing line 100ft
- Drogue



OCEAN SAFE



Weight (Lbs)

6\*

۲


7

D.

Capacity		Part Numbers	Dimensions (in.)	Weight (Lbs)
6		RAF0405	30 x 17.75 x 10.25	55
	8	RAF0410	30 x 17.75 x 10.5	72
	10	RAF0415	34 x 17.75 x 10.5	74
	12	RAF0420	34 x 17.75 x 10.5	81.5
	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
	Capacity 6	Part Numbers RAF00375	Dimensions (in.) 31.5 x 20.5 x 11 .25	Weight (Lbs) 62
				0
	6	RAF00375	31.5 x 20.5 x 11 .25	62

CONTAINER

VALISE



### **AERO COMPACT LIFE RAFT**

Ideal for non-commercial aircraft use, the compact and lightweight Aero Compact<sup>™</sup> offers an enhanced level of safety for over-water flights. The double 200 lb. SuperRev<sup>™</sup> ballast pockets enhances stability in the roughest of sea conditions. Its light weight allows for easy deployment, and the compact size makes stowage easy even in the smallest of spaces.

### FEATURES

- Double 200 lb. weighted SuperRev<sup>™</sup> Ballast Pockets for stability
- Raft inflates automatically in less than 30 seconds with selfcontained
- CO2 inflation system
- Single tube, single compartment construction
- Tube and floor fabric: polyurethane coated nylon fabric

- RF welded and adhesive bonded tape seams
- Valise: Durable weather and UV resistant vinyl-coated polyester with optional, detachable equipment pack/kit
- Pressure relief valve

- Hand pump
- Sea anchor
- Floating knife
- Bailer
- Water activated light







	Standard kit	Standard plus kit	Deluxe kit
Food rations (1000 calorie/ package)	1	1	2
Drinking water (4.23 oz./ package)	8	8	0
Desalting kit (8 pits water)	0	0	1
Canopy assembly	1	1	1
Canopy arch assembly	1	1	1
Utility knife	0	1	1
Flash light, 2x AA	1	1	1
Batteries, size AA	2	2	2
First aid kit	1	1	0
Sponge	0	1	1
Whistle and lanyard assembly	1	1	1
Signal mirror	1	1	1
Signal flare kit	1	1	1
Sea dye marker	1	1	1
Repair kit	1	1	1
Radar/ reflective thermal blanket	0	0	1
Compass	0	0	1
Life raft paddles	0	0	2
Fishing Kit	0	0	1
Survival manual	0	1	1
Survival kit valise assembly	1	1	1

ш	Capacity	Part Numbers		Dimensions (in.)		Weight (Lbs)	
VALISE	2	45-AC2V	1	l4 x 9 x 5		13	
>	4	45-AC4V	1	I4 x 11 x 5		15.5	
		-					2
~	Capacity	Part Numbers	Dimensions (in.)	s Weight (Lbs)	Standard kit	Standard plus kit	Deluxe kit
NOP	2	45-AC2VP	14 x 9 x 6	15.5	-	-	-
TH CA	4	45-AC4VP	14 x 11 x 5	18	-	-	-
VALISE WITH CANOPY	4	45-AC4V-K	14 x 11 x 8	20	$\odot$	-	-
	4	45-AC4V-K2	14 x 11 x 8	22	-	$\odot$	-
	4	45-AC4V-K3	14 x 11 x 8	24.5	-	-	$\odot$







# 36 | LIFE RAFTS

### **AERO ELITE LIFE RAFT**

The Aero Elite is a compact, lightweight general aviation life raft making it easy to stow and deploy. It features one large oversized 13" tube with vertical bulkheads inside to divide the tube into two independent air-holding compartments, so if one compartment is punctured, the other keeps you afloat. Offering a spacious 4ft 2" per person, the Aero Elite includes a heavy-duty boarding ladder, an inflatable floor, automatically inflated canopy, stowage pockets, zippered windows, flashing strobe, four 2001b ballast pockets, an extensive survival equipment pack including USCG/SOLAS flares and much more. The Aero Elite is vacuum-packed to add greater protection against the environment and minimize servicing costs as service is required just once every three years.

### FEATURES

- Large, oversized tube 13" in diameter
- Spacious 4-square feet-per person interior
- Automatically inflated canopy
- Heavy duty boarding ladder
- Weighted ballast pockets for stabilization in rough seas
- Multi-chambered tube

**AVIATION** 

- Extensive equipment pack including USCG/SOLAS pyrotechnics
- Vacuum packed
- Rain catcher
- Inflatable floor
- Stowage pockets
- Zippered windows
- Flashing strobe

- USCG/SOLAS approved red hand flares (2)
- Bailer
- Signal mirror
- Paddles
- Repair kit
- Seasick tablets
- Water tight flashlight
- Extra flashlight batteries
- Whistle
- Sponge
- Floating knife
- Handpump
- Owner's manual







VALISE

	Capacity	Part Numbers	Dimensions (in.)	Weight (Lbs)
LISE	4	45-AE4V	25 x 18.5 x 10	45
VAL	6	45-AE6V	28 x 17.5 x 11.5	50
	8	45-AE8V	30 x 19 x 12.5	56



# 38 LIFE RAFT ACCESSORIES & MAN OVERBOARD

# HAMMAR HYDROSTATIC RELEASE

The Hammar H20 is a hydrostatic release unit designed to fit life rafts of all shapes and sizes. It is made of glass fiber reinforced nylon, which prevents it from corroding. The Hammar H20 needs no annual service, maintenance or spare parts. You simply install a new one every two years and dispose of the old one. With the environment in mind, the old unit is 97% recyclable.

#### FEATURES

- Designed for life rafts from 6 up to 150 persons
- Release depth: 5-13ft
- Breaking strength of white rope sling: min 15kN
- Breaking strength of red weak link: 2.2 +/- 0.4kN
- Dispose after 2 years
- Weight 0.4lbs

Part numbers	Description	
40-H20-06365009	Hammar Hydrostatic Release	



# **OCEAN SAFETY HORSESHOE**

Durable and highly flexiable soft traditional horseshoe lifebuoys are designed to ensure that they are suitable for all crew members.

All horseshoes come with a floating safety line and a high visibility zip on cover.

Part numbers	Description	Color
45-LBU0135	Ocean Safety Horseshoe	Yellow
45-LBU0136	Ocean Safety Horseshoe	White
45-LBU0139	Soft Horseshoe Bracket	-



# COMMERCIAL RECREATIONAL

# JON BUOY RANGE



JON BUOY<sup>®</sup> GLO LITE

# JON BUOY GLO LITE DANBUOY

The inflatable Jon Buoy Danbuoy is stylish, compact and weighs only 8.5lbs. It can be mounted on the pushpit and is easily deployed in an emergency. In the event of a man overboard, simply unclip the unit from its mounting bracket and throw; the Danbuoy then automatically inflates. It replaces the traditional Danbuoy and is also fitted with a light and whistle.

#### FEATURES

- Compact
- Quick and easy to use
- Highly visible
- Easily replaced
- Lightweight

- Automatic inflation
- 33g cylinder
- Automatic light
- Whistle
- White or carbon style hard cases

Part numbers	Description	Color
45-JON2025	Jon Buoy Glo Lite Danbuoy	White case
45-JON2075	Jon Buoy Glo Lite Danbuoy	Black case



# JON BUOY GLO LITE HORSESHOE

The Jon Buoy inflatable horseshoe is a direct replacement for the traditional horseshoe lifebuoys. These compact units come fitted with an oral tube retro-reflective tape, whistle and an automatic inflation system as standard.

#### FEATURES

- Automatic inflation
- Retro-reflective tape
- Quick and easy to deploy
- Highly visible
- Light weight

- Clear printed instructions
- Re-packable
- Available as soft or hard case
- Hard casing in white or carbon style
- Part numbersDescriptionColor45-JON3225Jon Buoy Glo Lite HorseshoeWhite case45-JON3275Jon Buoy Glo Lite HorseshoeBlack case



# 40 JON BUOY RANGE

# JON BUOY GLO LITE RECOVERY MODULE

The Jon Buoy Recovery Module, is accepted as a direct replacement for the traditional Danbuoy horseshoe, drogue, light and whistle, specified within the World Sailing Offshore Special Regulations.

#### FEATURES

- Automatic inflation
- Automatic light
- Lifting ring
- Lifting safe working load 430lbs
- Retro-reflective binding
- Large ballast pocket

- 16ft weighted throwing line
- Repackable
- Compact and lightweight
- Slimline container
- AIS attachment point
- Available in bulkhead or rail mount options

, ₽	Part numbers	Description	Color
RAIL MOUNT	45-JON1105	Jon Buoy Glo Lite Recovery Module	White case
Z	45-JON1115	Jon Buoy Glo Lite Recovery Module	Black case
BULKHEAD MOUNT	Part numbers	Description	Color
I KHI	45-JON1120	Jon Buoy Glo Lite Recovery Module	White case
BU ≥		Jon Buoy Glo Lite Recovery Module	Black case

Please note: Bulkhead Mount only available by special order.









# JON BUOY® GLO LITE RECREATIONAL CONSIDE BOARD

RECREATIONAL

# JON BUOY GLO LITE DANBUOY **& HORSESHOE COMBINATION**

The combination of danbuoy and horseshoe conforms to the World Offshore Sailing Regulations and is a natural extension to the original inflatable Jon Buoy Danbuoy. This easy-to-fit solution comes with high-impact casing, rail-mounting cradle, inflatable danbuoy, inflatable horseshoe, whistle and danbuoy light.

#### **FEATURES**

- · Meets requirements of World Sailing Offshore Special Regulations
- Quick and easy to use
- Highly visible
- Lightweight
- Automatic inflation

- 33g cylinder for the danbuoy
- 38g cylinder for the horseshoe
- Automatic danbuoy light
- Optional light for the inflatable horseshoe
- White or carbon style hard cases

Part numbers	Description	Color
45-JON2225	Jon Buoy Glo Lite Danbuoy & Horseshoe combination	White case
45-JON2275	Jon Buoy Glo Lite Danbuoy & Horseshoe combination	Black case



# **GLO LITE**

HAVAHA

SURVIVAL INC.







# 42 SIGNALLING

# RED PARACHUTE SIGNAL ROCKET

USCG Approved Red Parachute Rocket, for long range, day and night distress signalling.

#### **FEATURES**

- Designed to withstand exceptional environmental exposure
- Designed to withstand environmental exposure


raft stowage

· Compact design for easy life

- · Performs reliably even after immersion in water
- Features improved grip for easy handling and conforms to SOLAS 74/88 as amended



#### Part numbers Description





# **RED HANDHELD**

For use day or night, short-range distress signal to pinpoint position. Features a telescopic handle allows easy extension for safe operation and saves space when stowed in life rafts.

#### **FEATURES**

- Unique, compact, telescopic handle allow easy extension for safe operation
- Designed to withstand exceptional environmental exposure
- · Performs reliably even after submersion in water
- Easily extended for a safe handling and operation
- · Designed for stowage in life raft



### **LINE THROWER 250**

USCG approved line-thrower, which propels up to 820ft of line in a single shot.

#### **FEATURES**

- Self-Contained single shot, line-throwing appliance that is fully compliant to the latest international SOLAS/ MED and USCG legislation
- A solid propellant rocket is used which guarantees a highly accurate flightpath even in strong sidewinders

#### Part numbers Description



# SMOKE SIGNAL - ORANGE

Compact, daylight distress signal designed to be easy and safe to use and provided effective positioning marking.

#### **FEATURES**

- Compact, flat top, day-time orange smoke distress signal
- · Can be used for indication of wind direction during a rescue
- Safe to use on petrol or oil covered water
- · Designed for stowage in life raft



Part numbers Description 45-9192000 Smoke Signal - Orange

COMMERCIAL



AVIATION



# PERSONAL SIGNAL LAUNCHER

The lightweight, Comet Personal Signal Launcher pack which contains nine red aerial flare cartridges and a penjector firing mechanism, all enclosed in a tough, water-resistant case.

#### **FEATURES**

- Lightweight, compact pack
- · Contains an injector firing mechanism in a tough, water resistant case
- · The projector is fitted with a stainless steel spring and striker pin
- Nine red cartridges per mini-flare
- · Each cartridge projects its payload to a height of over 130ft
- Unique slot fitting with a simple slide-on action for loading the cartridges

Part numbers Description



# SHIPS WHEEL PPRO

# DAY AND NIGHT SIGNAL

Personal Signal Launcher

Compact, handheld distress signal consisting of a red flare at one end and an orange smoke in the other. Housed in a rugged, corrosion-resistant case.

#### **FEATURES**

45-9194600

- Compact, hand-held distress signal consisting of a red flare/ 15,000 candela at one end and dense orange smoke at the other
- · Housed in a rugged, corrosion and water-resistant case
- · End caps are color coded and finned to identify flare or a smoke



# **15 MINUTE BUOY** SMOKE SIGNAL

15-minute orange smoke man overboard day time lifebuoy marker, It can be automatically deployed by releasing the attached lifebuoy, or manually activated. Identical to Light & Smoke Signal - but without the lighting system.

Part numbers	Description
45-9181700	Red Parachute Signal Rocket



COMMERCIAI

# MAN OVERBOARD LIGHT **& SMOKE MARKER**

The signal is used to mark the position of a man overboard by day or night, by omitting dense orange smoke and LED lights. It can be automatically deployed by releasing the attached lifebuoy, or manually activated.

#### **FEATURES**

- 15 minute signalling via smoke and light
- Tested to survive a 200ft drop into the water (SOLAS 100ft)
- Universal Stainless Steel mounting bracket
- Safe to use on petrol or oil covered water
- Use with lifebuoy weighing 9lbs
- Attach to lifebuoy with 9.5mm diameter, 13ft long line

Description Part numbers 45-9181600

Man overboard Light & Smoke Marker

# 44 | SIGNALLING

# ACR RESQFLARE

A high intensity LED Electronic Distress Flare. Sold with the included daytime distress flag, the ResQFlare and accompanying flag are certified to meet the applicable U.S. Coast Guard requirements allowing them to be carried in lieu of traditional pyrotechnic flares (U.S. only) on vessels subject to 33 CFR 175.130 (primarily recreational boats).

#### FEATURES

- ResQFlare and included Distress Flag, when carried together, qualify as a replacement for the carriage of USCG pyrotechnic flares (the U.S.A. only)
- Bright light in all directions (360° visibility)
- · Lightweight and compact in size
- Automatically rights itself and floats when in the water (no buoyancy/flotation ring necessary)
- Visible over 6 miles
- User-Replaceable C-Cell Alkaline Batteries (Not Included)
- High intensity LED strobe maintains a minimum peak equivalent fixed intensity of 75 cd for 20 hours or greater (room temperature)

- The operational life of 20 hours is over 3 times longer than the USCG requirement for maintaining peak equivalent fixed intensity of 75 cd
- Durable design: Fire-resistant, Oil-resistant, Fungus-resistant, & Corrosion resistant
- Waterproof (IP67)
- Certified under USCG 161.013 as a Nighttime Visual Distress Signal
- Includes Distress Flag (Certified under USCG 160.072 as Daytime Visual Distress Signal)

RECREATIONA

AVIATION

#### Part numbers Description 45-3966 ACR ResQFlare



rescueME

# **RESCUEME EDF1**

The world's most compact electronic distress flare, offers users a safe and long-lasting solution to visual signalling in an emergency.

#### FEATURES

- Advanced LED technology Safe operation
- Compact, rugged design
- Superb 360 degree visibility in the Azimuth
- Excellent visibility for aircraft and helicopter SAR
- Up to 6 hours battery use
- Constant brightness maintained throughout the life of the battery

Part numbers	Description
45-750S-01710	Rescueme EDF1

- Four modes of operation plus SOS signalling
- Easy change replaceable battery
- Range up to 7 miles
- Waterproof to 30ft
- Battery test function

# COMMERCIAL RECREATIONAL AVIATION

# **PYROTECHNIC**



COMMERCIAL

# LARGE POLYBOTTLE

Rugged bottle ideal for storing distress signals 12 Liter water resistant storage bottle for flares.

#### **FEATURES**

- · Ideal for storing distress signals
- Can easily be picked up during an emergency



Part numbers Description 45-9128000 Large Polybottle

# **SHIP'S BRIDGE** DISTRESS KIT



Ship's Bridge Distress kit, containing 12 parachute red rockets within a waterproof polybottle.

#### **FEATURES**

12 red parachute signal rockets

Part numbers Description 45-PYRO-SBDK Ship's Bridge Distress Kit

# OFFSHORE DISTRESS KIT

Offshore Distress Kit, containing; 4 parachute signal rockets, 4 red handflares, 2 smoke signals within a waterproof polybottle.

#### **FEATURES**

- 4 red parachute signal rockets
- 4 red handflares
- 2 smoke signals orange

Part numbers Description 45-PYRO-ODK





COMMERCIAL

# LIFEBOAT DISTRESS KIT

Lifeboat Distress Kit containing: 4 parachute signal rockets, 6 red handflaes, 2 smoke signals within a waterproof polybottle.

#### **FEATURES**

- 4 parachute signal rockets
- 6 red handflares
- 2 smoke signals orange

Part numbers Description 45-PYRO-SLDK

Lifeboat Distress Kit

# **OVER 50 MILE DISTRESS KIT**

Over 50 Mile Distress Kit containing: 3 parachute signal rockets, 6 red handflares, 3 smoke signals within a waterproof polybottle.

#### **FEATURES**

- 3 red parachute signal rockets
- 6 red handflares
- 3 smoke signals orange



# **46 RESCUE BEACONS**

# **RESCUEME MOB1**

The world's smallest personal locating AIS Man OverBoard device As the world's smallest AIS MOB device, the rescueME MOB1 is your best chance for rapid rescue. Compatible with even the most

compact inflatable life jackets, it will activate automatically on inflation, sending the first alert within 15 seconds.

#### FEATURES

- Integrated DSC transmitter (digital selective calling)
- 30% (typ) smaller than competitors
- Automatic activation
- Simple life jacket integration
- 7 year battery life
- 24+ hours operational life
- 5 year warranty

Part numbers

45-740S-01551

• Fast accurate positioning



MOB1

cean

COMMERCIAL

RECREATIONA

# **RESCUEME PLB1**

30% smaller than other PLBs on the market. Wherever your adventure, on sea or land, the rescueME PLB1 provides the reassurance that global emergency services can be alerted by the press of a button.

#### FEATURES

- Retractable Antenna
- 7 year battery life
- 7 year warranty
- 24+ hour operational life
- 66 channel GPS receive
- Unique mounting clip
- Operates on the global Cospas Sarsat rescue system

#### Part numbers Description

45-730S-0126 Rescueme PLB1



(SEA)

EPIRB1 Pro

COMMERCIAL

# **OCEAN SIGNAL EPIRB1 PRO**

The world's most compact emergency position indicating radio beacon. It is a practical option to meet the needs for all commercial, fishing, and leisure vessels.

#### FEATURES

- 66 channel GPS
- Float free bracket, automatic release housing with hydrostatic release unit
- 10 year battery life
- Intuitive operating controls protected from accidental activation
- Class 2 EPIRB (-4 to +130 degrees Fahrenheit) for general use
- 406MHz
- 121.5MHz

#### Part numbers Description

45-702S-03401 Ocean Signal EPIRB1 PRO

# OCEAN SIGNAL EPIRB1

Description

Rescueme MOB1

The rescueME EPIRB1 provides peace of mind with an impressive 10 year battery life. Its small size allows it to be easily retained within its quick release bracket or placed in an emergency grab-bag or life raft.

#### FEATURES

- 10 year battery life
- Retractable antenna
- 66 channel GPS
- 406MHz
- 121.5MHz

Part numbers Description 0045-7025-01540 Ocean Signal EPIRB1

COMMERCIAL



RECREATIONAL

AVIATION



5323 Highway Ave. Jacksonville, FL 32254

Tel: 904.503.9733 Email: sales@reveresurvival.com

www.reveresurvival.com

The content of this brochure is considered to true and correct at the time of print, however changes to product and legislation after the time of print may impact on the accuracy of the information, this could change without notice. Revere Survival is not liable for the accuracy of the information printed or stored by a user.