SECTION I – C	CHEMICAL PRODUC	T AND COMPAN	Y IDENTIFICATION	
PRODUCT NAME	Liferaft, Self-Inflating, Marine Type			
TRADE NAMES/SYNONYMS				
	Model No.	Part No.	Model No.	Part No.
	Offshore Elite 4	45-OE4()	Offshore Ocean 4	45-004()
	Offshore Elite 6	45-OE6()	Offshore Ocean 6	45-006()
	Offshore Elite 8	45-OE8()	Offshore Ocean 8	45-008()
	Coastal Elite 4	45-CE4()	Coastal Cruiser 6 Valise	45-96610316-V
	Coastal Elite 6	45-CE6()	Coastal Cruiser 6 Container	45-96610317-C
	Coastal Elite 8	45-CE8()	Coastal Cruiser 6 XT	45-CCXT6V
	Revere USCG Ellipse	RAF5050-RAF5062	ISAF Rescue Racer XT 4	45-RRXT4()
	Coastal Commander	45-COASTCO46()	ISAF Rescue Racer XT 6	45-RRXT6()
	Offshore Commander 4	45-OC4-4()	ISAF Rescue Racer XT 8	45-RRXT8()
	Offshore Commander 6	45-OC4-6()	ISAF Rescue Racer XT 10	45-RRXT10()
	Offshore Commander 8	45-OC4-8()	Ocean ISO 4	45-0ISO4()
	Coastal Commander 4.0	COASTCO4- 4() COASTCO4-6()	Ocean ISO 6	45-0ISO6()
	Offshore Commander4.0 4	OC4-4()	Ocean ISO 8	45-0ISO8()
	Offshore Commander 4.0 / 6	OC4-6()	Revere USCG/SOLAS	45-REV-CGS-4 – 45-REV-CGS-25
	Offshore Commander 4.0 / 8	OC4-8()	Revere USCG/SOLAS	45-REV-CPT-6 – 45-REV-CPT-16
	Revere IBA	45-REV-IBA-(4-50)	3Si IBA	45-3SI-IBA-(4-50)
PRODUCT USES	Inflatable liferaft for emergency use on recreational/pleasure or commercial boats.			
MANUFACTURER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Revere Survival Inc. 5323 Highway Ave. Jacksonville Florida, USA 32254 (INFOTRAC) Within U	SA/Canada 1-800-5	35-5053; International 1-3	52-323-3500
SUPPLIER'S NAME Street Address: City State/Province Postal Code Emergency Telephone Number	Same as manufactu	rer listed above.		

HAZARDOUS INGF	REDIENTS	% (by weight)	CAS Number	LD ₅₀	LC ₅₀	
Not Applicable (N/A)					
1 Carbon I 2 Nitrogen 3 Pyrotech Signal Cartrid Signals Articles	s of other liquids, solids, or gases Dioxide, Compressed, CAS# 124 , Compressed, CAS# 7727-37-5 nnic Signaling Device (flares) inc Devices, Hand, UN0191, 1.4G ges, Signal, UN0405, 1.4S s, Smoke, UN0197, 1.4G s Pyrotechnic, UN0432, 1.4G , Aerial, UN0403, 1.4G	4-38-9, UN101 9, UN1066 luding:	3 Cartridges, Signal, UN Signals, Smoke, UN09 Flares, Aerial, UN050	507, 1.4S		
	SECTION III	- HAZARDS	IDENTIFICATION			
temperatures. Liferation	teel or aluminum cylinder of gas aft contains pyrotechnic signalin to fire. Keep away from flame o SECTION I	g devices (flar or flame produc	es) that are explosive			
SKIN CONTACT	N/A					
EYE CONTACT	N/A					
INHALATION	N/A					
INGESTION	N/A					
In general, liferafts p	present no hazards that would re	equire first aid r	measures.			
	SECTION V -	- FIRE FIGH	TING MEASURES			
Flammable: 🗌 No	o ⊠ Yes - identify under which		Liferaft contains pyrot that are explosive. Fl when exposed to fire.			
Means of Extinctio	n		Large volumes of water			
Special Fire Fighting Procedures:			Pyrotechnic signaling device (flares) may include material that contains its own oxygen to maintain burning. Do not try to smother or use dry chemical.			
Flashpoint (°C) and	d Method		N/A			
Upper Flammable Limit (% by volume)			N/A			
Lower Flammable Limit (% by volume)			N/A			
	Autoignition Temperature (°C)			Auto Ignition > 175 °C (350 °F)		
Lower Flammable	erature (°C)					
Lower Flammable Autoignition Temp	erature (°C) ensitivity to Impact		N/A			
Lower Flammable Autoignition Temp Explosion Data - S	• •					

	SECT	FION VI – ACCIDENTAL RELEASE MEASURES				
Leak and Spill Procedures	Hazardous materials are contained in sealed units within packed liferaft. Spills should pose no threat if the sealed units are not breached. If compressed gas cylinder ruptures, ventilate area. If pyrotechnic signaling device ruptures, material spilled from unit should be swept away and burned by trained personnel. Ignition sources must be avoided. Handle materials with care.					
	S	SECTION VII - HANDLING AND STORAGE				
Handling Procedures and Equipment	Do not drop the packed liferaft. Do not pull the inflation lanyard (painter line) on the raft. Only lift the packed raft by its handles if packed in a fabric valise. If raft is packed in a hard container, lift from bottom. Opening the raft valise or hard container may cause the raft to inflate. Liferaft can cause injury if inflated close to people or in a confined area. The liferaft's compressed gas cylinder is equipped with a pressure relief device. The device will vent gas from the cylinder if stored at temperatures above 130°F. The raft may partially or fully inflate if the pressure relief device activates.					
Storage Requirements		e units should be stored in a cool, dry area away from danger of sparks, heat or				
	flame					
SECTIO	ON VII	I – EXPOSURE CONTROLS, PERSONAL PROTECTION				
Exposure Limits: DACGIH	TLV	□ OSHA PEL □ Other (specify) N/A				
Engineering Controls (speci	fic)	N/A				
Personal Protective Equipm (if checked, specify type) N/A	ent:	☐ Gloves ☐ Respirator ☐ Eye ☐ Footwear ☐ Clothing ☐ Other				
S	SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES					
Physical State	Physical State N/A					
Odor and Appearance		N/A				
Odor Threshold (ppm)		N/A				
Specific Gravity		N/A				
Vapor Density (air=1)		N/A				
Vapor Pressure (mmHg)		N/A				
Evaporation Rate		N/A				
Boiling Point (°C)		N/A				
Freezing Point (°C)		N/A				
рН		N/A				
Solubility in Water		N/A				
		SECTION X – STABILITY AND REACTIVITY				
Chemical Stability: Yes Stable under normal temperat		lo - Identify under which conditions nd conditions.				
Incompatibility with other su	ubstan	ces: \square No \square Yes - Identify which ones				
Reactivity, and under what on N/A	conditio	ons?				
Hazardous Decomposition F May form harmful fumes unde						

			SECTION XI- TOXICOLOGY INFORMATION		
Effects of Acute Exposure			N/A		
Effects of Chronic Exposure		Exposure	N/A		
Irritancy of Product		t	N/A		
Respirato	Respiratory Sensitization		N/A		
Carcinogenicity – IARC		ARC	N/A		
Carcinogenicity – ACGIH		ACGIH	N/A		
Reproductive toxicity		ity	N/A		
Teratogenicity			N/A		
Embryoto	Embryotoxicity		N/A		
_	Mutagenicity		N/A		
Name of s	synergisti	ic products/	effects N/A		
			SECTION XII – ECOLOGICAL INFORMATION		
Aquatic T	c Toxicity N/A				
			SECTION XIII – DISPOSAL CONSIDERATIONS		
released will dissipa		released w	n is the preferred method of disposal of pyrotechnic materials. Any compressed gas ill dissipate into the atmosphere and leave no hazardous waste. Other solid portions of may be disposed of as domestic waste in accordance with local laws and regulations.		
			SECTION XIV – TRANSPORT INFORMATION		
		nformation	Classified according to DOT, ADR, IMDG, and IATA: UN2990 Class 9 Proper shipping name: Life Saving Appliance, Self Inflating		
DOT	See Above and 49CR172.101 and 49CFR173.219				
IMO	See Above				
ΙΑΤΑ	See Above				
	SECTION XV – REGULATORY INFORMATION				
OSHA	As required by US federal regulations.				
SERA	N/A				
TSCA	N/A				

Safety Data Sheet Marine Liferafts

SECTION XVI- OTHER INFORMATION

Disclaimer Liability: Since conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate. All statements or suggestions are made without warranty, express of implied, regarding the accuracy of the information, the hazards connected with the use of the product, or the results to be obtained from the use thereof. Compliance with all federal, state, and local laws and regulations remains the responsibility of the user.

User Responsibility: This MSDS cannot cover all possible situations which the distributor, retailer, or end user may experience during transport, storage, processing, or use. The user should examine each aspect of his operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to the user's employees or customers. It is the user's responsibility to use this information to develop appropriate work practice guidelines and employee training programs for his operation.

MSDS No. 1012 Rev.: L Sept. 24, 2019 Page 5 of 5